

# KUBOTA

---

## B SERIES

---

### WHOLEGOODS PRICE LIST EFFECTIVE SEPTEMBER 10, 2018

These pages are a complete revision of  
this section of your price book.  
All prices are effective September 10, 2018.

- 9/10/2018 Price increase on select implements and attachments due to steel price increase.  
See pages 7-6 thru 7-10, 7-13, 7-15 thru 7-17, 7-21, 7-22, 7-30 thru 7-34, 7-36
- 10/3/2018 Corrected part number referenced in B2714C description. See page 7-8.

# KUBOTA

| PAGE NUMBER | MODEL   | PTO HP | FACTORY NUMBER | SUGGESTED LIST PRICE |
|-------------|---|--------|----------------|----------------------|
| 7-3         | B2301HSD  | 17.5   | K11B458B20     | \$ 14,690.00         |
| 7-3         | B2601HSD  | 19.5   | K12B230B40     | \$ 15,680.00         |
| 7-6         | B2301/2601 Dealer Installed Accessories                   |        |                |                      |
| 7-7         | B2301/2601 Front Loaders                                  |        |                |                      |
| 7-8         | B2301/2601 Front Quick Hitch and Quick Hitch Implements   |        |                |                      |
| 7-10        | B2301/2601 Implements                                     |        |                |                      |
| 7-11        | B2320DTWO   | 18     | K9B147B84      | \$ 11,728.00         |
| 7-11        | B2320DT   | 18     | K9B607B26      | \$ 12,317.00         |
| 7-13        | B2320DTWO/DT Dealer Installed Accessories                 |        |                |                      |
| 7-14        | B2320DTWO/DT Front Loaders                                |        |                |                      |
| 7-15        | B2320DTWO/DT Front Quick Hitch and Quick Hitch Implements |        |                |                      |
| 7-17        | B2320DTWO/DT Implements                                   |        |                |                      |
| 7-19        | B2320DTN-1  | 18     | K10B069B02     | \$ 12,909.00         |
| 7-21        | B2320DTN-1 Dealer Installed Accessories                   |        |                |                      |
| 7-23        | B2650HSDC   | 19.5   | K18B872B10     | \$ 24,195.00         |
| 7-23        | B2650HSD  | 19.5   | K12B926B16     | \$ 16,572.00         |
| 7-25        | B3350HSDC   | 27     | K22B514B70     | \$ 28,865.00         |
| 7-25        | B3350HSD  | 27     | K16B568B76     | \$ 21,242.00         |
| 7-27        | B3350SUHSD  | 27     | K14B789B58     | \$ 18,961.00         |
| 7-29        | B2650/3350 Dealer Installed Accessories                   |        |                |                      |
| 7-31        | B2650/3350 Front Loaders                                  |        |                |                      |
| 7-32        | B2650/3350 Front Quick Hitch and Quick Hitch Implements   |        |                |                      |
| 7-34        | B2650/3350 Implements                                     |        |                |                      |

# KUBOTA

## B Series

## B2301/B2601

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

### DIESEL ENGINE

Kubota Indirect Injection  
 3 Cylinder Engine  
 EPA Tier 4 Compliant  
 Charging Output 14.5 Amps  
 12V – 430 CCA  
 Dual Air Cleaner Element

### EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

### HYDRAULICS / HITCH / DRAWBAR

Open Center  
 Tandem Pumps Gear Type  
 3.6 gpm Power Steering  
 4.7 gpm Remote/3 Pt. Hitch  
 8.3 gpm Total Hyd. Flow

### 3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch  
 At Lift Point 1808 lbs.  
 24" Behind 1411 lbs.  
 Position Control 3-Point Valve

### POWER TAKE OFF

Live Independent with Hydraulic Clutch  
 Rear PTO – 1 Speed  
 SAE Std 1 3/8" Six Spline  
 540 rpm @ 2773 Eng. rpm  
 Mid PTO – 1 Speed  
 2500 rpm @ 2753 Eng. rpm

### TRANSMISSION

Hydrostatic Drive  
 Rear Differential Lock  
 3 Forward Ranges  
 3 Reverse Ranges  
 Cruise Control  
 Wet Disc Brakes

### FRONT AXLE

Hydrostatic Power Steering  
 Cast Iron  
 Bevel Gear 4WD  
 Tread Spacing - Nonadjustable

### FLUID CAPACITY

|                             |          |
|-----------------------------|----------|
| Fuel Tank                   | 6.1 gal. |
| Cooling System              | 4.0 qts. |
| Crankcase                   | 3.3 qts. |
| Transmission and Hydraulics | 4.0 gal. |
| Front Axle                  | 3.7 qts. |

### SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable  
 Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 SMV Sign

### INSTRUMENTS

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

| Model Specifications |            |                |            |
|----------------------|------------|----------------|------------|
| <b>B2301</b>         |            | <b>B2601</b>   |            |
| SAE Gross HP:        | 22.0       | SAE Gross HP:  | 25.5       |
| Engine Net HP:       | 20.1       | Engine Net HP: | 23.4       |
| PTO HP:              | 17.5       | PTO HP:        | 19.5       |
| Engine Model:        | D1005      | Engine Model:  | 1105       |
| Displacement:        | 61.1 Cu In | Displacement:  | 68.5 Cu In |

# KUBOTA

## B Series

## B2301HSD

| ORDER CODE                                   | DESCRIPTION                                | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|--|--|----------------|------------------|----------------------|
| *** STANDARD TRACTOR WITH STANDARD TIRES *** |  |                |                  |                      |
| B2301HSD                                     | 4WD Compact Tractor - 2 Post Foldable ROPS | K11B458B20     | 1392 lbs         | \$14,690.00          |

| B2301                         |  | Additional Price With Tire Option |                |     |                      |
|-------------------------------|--|-----------------------------------|----------------|-----|----------------------|
| TIRES AND WHEELS <sup>†</sup> |  |                                   |                |     |                      |
| ORDER CODE                    | DESCRIPTION                              | Weight Each                       | FACTORY NUMBER |     | SUGGESTED LIST PRICE |
| ABR8701*                      | F-TIRE 6-12 R1 AG Steel Bias CA          | 28 lbs                            | In Base Price  |     | In Base Price        |
| ABR8755B*                     | R-TIRE 9.5-16 R1 Goodyear Dura Torque    | 76 lbs                            |                |     |                      |
| BR8735                        | F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1 | 31 lbs                            | K87B36         | Add | \$ 112.00            |
| ABR8790                       | R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac    | 80 lbs                            |                |     |                      |
| ABR8727                       | F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh | 32 lbs                            | K43B68         | Add | \$ 56.00             |
| ABR8779                       | R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac  | 82 lbs                            |                |     |                      |
| ABR8763                       | F-TIRE 23x8.50-12 R4 Titan Trac Loader   | 43 lbs                            | K98B28         | Add | \$ 126.00            |
| ABR8764                       | R-TIRE 12-16.5 R4 Titan Trac Loader      | 103 lbs                           |                |     |                      |

<sup>†</sup> See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

# KUBOTA

## B Series

## B2601HSD

| ORDER CODE                                   | DESCRIPTION                                | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|--|--|----------------|------------------|----------------------|
| *** STANDARD TRACTOR WITH STANDARD TIRES *** |  |                |                  |                      |
| B2601HSD                                     | 4WD Compact Tractor - 2 Post Foldable ROPS | K12B230B40     | 1392 lbs         | \$15,680.00          |

| B2601                         |  | Additional Price With Tire Option |                |                      |
|-------------------------------|--|-----------------------------------|----------------|----------------------|
| TIRES AND WHEELS <sup>†</sup> |  |                                   |                |                      |
| ORDER CODE                    | DESCRIPTION                              | Weight Each                       | FACTORY NUMBER | SUGGESTED LIST PRICE |
| BR8707A*                      | F-TIRE 7-12 R1 B-Stone Farm Service Lug  | 33 lbs                            | In Base Price  | In Base Price        |
| ABR8769*                      | R-TIRE 11.2-16 R1 Goodyear Dyna Torq II  | 95 lbs                            |                |                      |
| BR8735                        | F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1 | 31 lbs                            | K15B60         | Add \$ 20.00         |
| ABR8790                       | R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac    | 80 lbs                            |                |                      |
| ABR8727                       | F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh | 32 lbs                            | K28B08         | Less \$ (36.00)      |
| ABR8779                       | R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac  | 82 lbs                            |                |                      |
| ABR8701                       | F-TIRE 6-12 R1 AG Steel Bias CA          | 28 lbs                            | K71B76         | Less \$ (92.00)      |
| ABR8755B                      | R-TIRE 9.5-16 R1 Goodyear Dura Torque    | 76 lbs                            |                |                      |
| ABR8763                       | F-TIRE 23x8.50-12 R4 Titan Trac Loader   | 43 lbs                            | K26B52         | Add \$ 34.00         |
| ABR8764                       | R-TIRE 12-16.5 R4 Titan Trac Loader      | 103 lbs                           |                |                      |

<sup>†</sup> See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

**KUBOTA****B Series****B2301/B2601****DEALER INSTALLED ACCESSORIES**

| ORDER CODE                                  | DESCRIPTION   | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE              |
|---|---|----------------|------------------|-----------------------------------|
| <b>HYDRAULICS/HITCH/DRAWBAR</b>             |   |                |                  |                                   |
| <b>HYDRAULIC REAR REMOTE VALVES</b>         |   |                |                  |                                   |
| B1654                                       | Base Kit and 1st Lever<br>Requires B7304 Double Acting Valve  | K294B84        | 7 lbs            | \$378.00                          |
| B1655                                       | 2nd Position Stacking Kit and 2nd Lever<br>Requires B1654, B7304, and a B7304 or B7305                    | K131B04        | 10 lbs           | \$168.00                          |
| B7304                                       | Double Acting Valve Section   | K187B20        | 4 lbs            | \$240.00                          |
| B7305                                       | FD (Float Detent) Valve Section (2nd Position Only)   | K235B56        | 5 lbs            | \$302.00                          |
| <b>ROPS ACCESSORIES</b>                     |   |                |                  |                                   |
| <b>CANOPY</b>                               |   |                |                  |                                   |
| E1123                                       | Fiberglass Canopy<br>Requires E1124 Mounting Kit  | K251Z16        | 90 lbs           | \$322.00                          |
| E1124                                       | Fiberglass Canopy Mounting Kit  | K140Z40        | 28 lbs           | \$180.00                          |
| E1133                                       | Plastic Canopy  | K340B86        | 63 lbs           | \$437.00                          |
| <b>WORK LIGHTS</b>                          |   |                |                  |                                   |
| BX7356A                                     | ROPS-Mount Lights (2), 4-LED<br>Front/Rear Adjustable, 700 Lumen  | K154B44        | 4 lbs            | \$198.00                          |
| B7335                                       | Rear Working Auxiliary Light (Maximum 1 Light/Tractor)  | K69B42         | 4 lbs            | \$89.00                           |
| <b>BALLAST</b>                              |   |                |                  |                                   |
| <b>BALLAST BOX</b>                          |   |                |                  |                                   |
| B8160                                       | Ballast Box - 3-Point Mount   | K203B58        | 101 lbs          | \$261.00                          |
| <b>FRONT WEIGHT BRACKETS</b>                |   |                |                  |                                   |
| BX8064A                                     | Weight Bracket - 5 Weights<br>Not compatible with Front Grill Guards.                                     | K80B34         | 23 lbs           | \$103.00                          |
| <b>FRONT SUITCASE WEIGHTS</b>               |   |                |                  |                                   |
| BL8060-1                                    | Suitcase Weight (55 lbs. Each)<br>3 Weight per Standard Tractor Bracket<br>Requires one BL8062 per Weight | K55B38         | 55 lbs           | \$71.00                           |
| <b>FRONT WEIGHT BOLT KITS</b>               |   |                |                  |                                   |
| BL8062                                      | Weight Bolt Kits - 1 Kit per BL8060-1   | K4B68          | 1 lbs            | \$6.00                            |
| <b>ADDITIONAL ACCESSORIES</b>               |   |                |                  |                                   |
| <b>BLOCK HEATER</b>                         |   |                |                  |                                   |
| 70000-73274                                 | Block Heater  |                |                  | (Order from the Parts Department) |
| <b>GRILL GUARD - NON LOADER APPLICATION</b> |   |                |                  |                                   |
| B1632                                       | Grill Guard for Non-Loader Application  | K134B16        | 15 lbs           | \$172.00                          |
| <b>HIGH CAPACITY ALTERNATOR KIT</b>         |   |                |                  |                                   |
| B7311                                       | 40 Amp High Capacity Alternator Kit   | K149B76        | 8 lbs            | \$192.00                          |
| <b>REAR WHEEL SPACERS</b>                   |   |                |                  |                                   |
| B8786                                       | 1 3/8" Spacers - Not Compatible with Mid Mount Mowers   | K248B82        | 34 lbs           | \$319.00                          |
| <b>REPLACEMENT ROPS</b>                     |   |                |                  |                                   |
| SFB-F26                                     | Replacement ROPS - B2301HSD and B2601HSD  | K452B40        | 115 lbs          | \$580.00                          |
| <b>SPARK ARRESTING MUFFLER</b>              |   |                |                  |                                   |
| 70000-01605                                 | Spark Arresting Muffler   |                |                  | (Order from the Parts Department) |
| <b>STORAGE COVER</b>                        |   |                |                  |                                   |
| 70000-73732                                 | Storage Cover   |                |                  | (Order from the Parts Department) |

# KUBOTA

## B Series

## B2301/B2601

### Front End Loaders

| ORDER CODE   | DESCRIPTION   | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|--------------|---|----------------|------------------|----------------------|
| <b>LA434</b> |   |                |                  |                      |
| LA434        | Front End Loader<br>Includes Mounting Kit, Stand, and Grill Guard<br>Valve is Standard on Tractor<br>Requires Bucket. | K2B197B26      | 646 lbs          | \$2,817.00           |

### 3RD FUNCTION VALVES

|       |   |         |        |          |
|-------|---|---------|--------|----------|
| B1653 | 3rd Function Valve Kit<br>Must order hydraulic line quick couplers separately | K623B22 | 45 lbs | \$799.00 |
|-------|---|---------|--------|----------|

### PIN-ON BUCKETS

|       |                                  |         |         |          |
|-------|----------------------------------|---------|---------|----------|
| B1623 | 48" Pin-On Bucket                | K295B62 | 125 lbs | \$379.00 |
| B1624 | 50" Pin-On Bucket                | K328B38 | 125 lbs | \$421.00 |
| B1625 | 54" Pin-On Bucket                | K360B36 | 125 lbs | \$462.00 |
| B1626 | 60" Light Material Pin-On Bucket | K445B38 | 150 lbs | \$571.00 |

### QUICK ATTACH COUPLERS & BUCKETS

|       |                              |         |         |          |
|-------|------------------------------|---------|---------|----------|
| B2366 | 2 Lever Quick Coupler        | K336B96 | 78 lbs  | \$432.00 |
| B2324 | 54" QA Bucket                | K352B56 | 202 lbs | \$452.00 |
| B2356 | 60" Light Material QA Bucket | K436B02 | 227 lbs | \$559.00 |

### QUICK ATTACH PALLET FORK FRAME / PALLET FORKS

|       |   |         |         |          |
|-------|---|---------|---------|----------|
| B2376 | Pallet Fork Frame 2-Lever QA (Requires K9048) | K496B08 | 165 lbs | \$636.00 |
| K9048 | 36" Pallet Forks                              | K317L46 | 176 lbs | \$407.00 |

### QUICK ATTACH FRONT LOADER BLADES & ACCESSORIES

|       |   |           |         |            |
|-------|---|-----------|---------|------------|
| B2672 | 60" Straight Blade w/Man. Angle (requires B2366)                          | K1B374B36 | 411 lbs | \$1,762.00 |
| B2673 | 72" Straight Blade w/Man. Angle (B2366)                                   | K1B504B62 | 535 lbs | \$1,929.00 |
| B2766 | 60" Rubber Cutting Edge   | K171B60   | 49 lbs  | \$220.00   |
| B2776 | 72" Rubber Cutting Edge   | K202B02   | 59 lbs  | \$259.00   |
| B2671 | Hydraulic Angulation Kit for B2672 & B2673<br>Requires 3rd Function Valve | K401B70   | 14 lbs  | \$515.00   |

# KUBOTA

## B Series

## B2301/B2601

### Front Quick Hitch & Front Quick Hitch Implements

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|------------|-------------|----------------|------------------|----------------------|
|------------|-------------|----------------|------------------|----------------------|

#### FRONT QUICK HITCH FRAME & COUPLER

|        |   |         |         |            |
|--------|---|---------|---------|------------|
| B2714C | Quick Hitch and Sub-Frame<br>When installing on units without a Loader Sub-Frame,<br>order 2 each of 70060-02159 from Parts.<br><br>Mid Mount Mower Decks must be removed to install Hitch.<br>Hitch Brackets can stay in place when MMM Deck is installed. | K943B80 | 223 lbs | \$1,210.00 |
|--------|---|---------|---------|------------|

#### FRONT QH DRIVELINE KITS

|        |  |         |        |          |
|--------|--|---------|--------|----------|
| B2798  | Mid PTO Driveline Kit. Requires a Front Driveline Kit. | K531B18 | 21 lbs | \$681.00 |
| BX6751 | Front Female Driveline Kit for BX5450                  | K148B20 | 5 lbs  | \$190.00 |
| BX6752 | Front Female Driveline Kit for BX5455HD                | K148B20 | 5 lbs  | \$190.00 |
| BX6743 | Front Female Driveline Kit for BX2537A                 | K401B70 | 17 lbs | \$515.00 |

#### FRONT QH MOUNTED ROTARY SWEEPERS AND ACCESSORIES

|        |  |           |         |            |
|--------|--|-----------|---------|------------|
| B2779  | 60" Rotary Sweeper - Hyd. Angle, 21.5" Wafer<br>Requires Quick Hitch and Mid PTO Driveline Kit | K3B318B90 | 300 lbs | \$4,255.00 |
| BL2178 | Side Caster Wheel Kit for B2779<br>Recommended for snow removal or lawn dethatching            | K365L04   | 45 lbs  | \$468.00   |
| L2168  | Rubber Deflector for B2779   | K127L14   | 31 lbs  | \$163.00   |

#### FRONT QH MOUNTED BLADES AND ACCESSORIES

|        |   |           |         |            |
|--------|---|-----------|---------|------------|
| B2765A | 60" Blade - Hyd. Angle, Trip Spring Lockout<br>Requires Quick Hitch | K1B284B66 | 411 lbs | \$1,647.00 |
| B2775  | 72" Blade - Hyd. Angle<br>Requires Quick Hitch                      | K1B400B10 | 535 lbs | \$1,795.00 |
| B2766  | 60" Rubber Cutting Edge   | K171B60   | 49 lbs  | \$220.00   |
| B2776  | 72" Rubber Cutting Edge   | K202B02   | 59 lbs  | \$259.00   |

# KUBOTA

## B Series

## B2301/B2601

| ORDER CODE   | DESCRIPTION   | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|--|---|----------------|------------------|----------------------|
| <b>FRONT QH MOUNTED SNOW BLOWERS &amp; ACCESSORIES</b> |   |                |                  |                      |
| BX5450   | 50" Two Stage Snowblower<br>Manual Rotator and Deflector<br>Requires Quick Hitch, Mid PTO Driveline Kits, and<br>Front Female Driveline Kit                             | K1B649X70      | 313 lbs          | \$2,115.00           |
| BX5455HD   | 55" Two Stage Snowblower, Commercial Grade<br>Hydraulic Rotator and Manual Deflector<br>Requires Quick Hitch, Mid PTO Driveline Kits, and<br>Front Female Driveline Kit | K2B804X88      | 425 lbs          | \$3,596.00           |
| B2781B   | 51" Two Stage Snowblower<br>Manual Rotator and Deflector<br>Requires Quick Hitch and Mid PTO Driveline Kit  | K2B262B00      | 475 lbs          | \$2,900.00           |
| B2782B   | 63" Two Stage Snowblower<br>Manual Rotator and Deflector<br>Requires Quick Hitch and Mid PTO Driveline Kit  | K2B428B92      | 500 lbs          | \$3,114.00           |
| BX5441   | Hydraulic Chute Rotation for BX5450   | K664B56        | 14 lbs           | \$852.00             |
| BX5442   | Electric Chute Rotation Kit for BX5450  | K315B12        | 7 lbs            | \$404.00             |
| BX5443   | Electric Chute Deflector Kit for BX5450 & BX5455HD  | K414B96        | 7 lbs            | \$532.00             |
| BX5444   | Hard Plastic Shoes for BX5450 & BX5455HD  | K112B32        | 2 lbs            | \$144.00             |
| BX5445   | Hard Plastic Cutting Edge for BX5450  | K82B68         | 2 lbs            | \$106.00             |
| BX5446   | Hard Plastic Cutting Edge for BX5455HD  | K90B48         | 2 lbs            | \$116.00             |
| BX5447   | Drift Cutters for BX5455HD  | K65B52         | 9 lbs            | \$84.00              |
| GR2714   | Drift Cutters for BX5450  | K48G38         | 50 lbs           | \$59.00              |
| B2516A   | Electric Chute Deflector for B2781B and B2782B  | K496B08        | 9 lbs            | \$636.00             |
| B2756  | Hydraulic Chute Rotation for B2781B and B2782B  | K613B86        | 20 lbs           | \$787.00             |
| BL2666A  | Hydraulic Chute Deflector for B2781B and B2782B<br>Requires Hyd. Chute Rotation Kit   | K750B36        | 22 lbs           | \$962.00             |
| B2786  | Side Extension Kit for B2781B and B2782B  | K94B38         | 27 lbs           | \$121.00             |

# KUBOTA

## B Series B2301/B2601

| ORDER CODE                                     | DESCRIPTION   | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|--|---|----------------|------------------|----------------------|
| <b>MID MOUNT MOWER DECKS &amp; ACCESSORIES</b> |   |                |                  |                      |
| RCK54-32                                       | 54" Cutting Width - 3 Blade Finish Mower<br>RH Discharge, Drive Over Deck Design<br>Not Compatible with B8786 Wheel Spacers | K1B694B94      | 365 lbs          | \$2,173.00           |
| RCK60-32                                       | 60" Cutting Width - 3 Blade Finish Mower<br>RH Discharge, Drive Over Deck Design<br>Not Compatible with B8786 Wheel Spacers | K2B056B08      | 418 lbs          | \$2,636.00           |
| GCK60-30BB                                     | Grass Catcher<br>3 Bag (9.75 Bushels)<br>Requires Boot Kit  | K1B627B86      | 320 lbs          | \$2,087.00           |
| B3045A   | Boot Kit - 54" Deck   | K225B42        | 25 lbs           | \$289.00             |
| B3047A   | Boot Kit - 60" Deck   | K225B42        | 31 lbs           | \$289.00             |

### BACKHOE & ACCESSORIES

|         |   |           |         |            |
|---------|---|-----------|---------|------------|
| BH70    | 7' Backhoe - 4 Point Mount<br>Quick Mount/Dismount without Tools<br>Requires Sub-Frame, 3pt Linkage must be removed to mount<br>MMM may remain on the unit, locked in the upper position<br>Not compatible with Grass Catcher | K4B655B04 | 850 lbs | \$5,968.00 |
| BH1627  | BH Sub-Frame<br>Includes Reversible Seat Mechanism  | K921B18   | 202 lbs | \$1,181.00 |
| BT1950A | 10" Bucket - 3 Teeth  | K323B70   | 63 lbs  | \$415.00   |
| BT1951A | 12" Bucket - 3 Teeth  | K382B98   | 69 lbs  | \$491.00   |
| BT1952A | 16" Bucket - 4 Teeth  | K505B44   | 82 lbs  | \$648.00   |
| BH1976  | Mechanical Thumb - 6 Position   | K370B50   | 51 lbs  | \$475.00   |
| BX9468  | Rubber Flip Pads for Stabilizers (order 2 per BH)   | K96B72    | 19 lbs  | \$124.00   |

### 3-POINT REAR MOUNTED IMPLEMENTS & ACCESSORIES

|         |  |           |         |            |
|---------|--|-----------|---------|------------|
| B2789   | 51" Two Stage Snow Blower (3-Pt Mount)<br>Requires either Manual or Hydraulic Chute Rotation Kit | K2B115B36 | 390 lbs | \$2,712.00 |
| BL2665  | Manual Chute Rotation Kit  | K134B16   | 11 lbs  | \$172.00   |
| B2784A  | Hydraulic Chute Rotation Kit<br>Requires a Minimum of 1 Rear Remote                              | K654B42   | 14 lbs  | \$839.00   |
| BL2666A | Hydraulic Chute Deflector Kit<br>Requires Hydraulic Chute Rotation Kit                           | K750B36   | 22 lbs  | \$962.00   |
| B2516A  | Electric Chute Deflector Kit   | K496B08   | 9 lbs   | \$636.00   |
| L2177   | Side Extension Kit - 5"  | K89L70    | 27 lbs  | \$115.00   |

# KUBOTA

## B Series

## B2320DT/B2320DTWO

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota Indirect Injection  
 3 Cylinder Engine  
 EPA Tier 4 Compliant  
 Charging Output 14.5 Amps  
 12V – 430 CCA  
 Dual Air Cleaner Element

**EXHAUST EMISSION CONTROL TYPE**

No Exhaust After Treatment Required

**HYDRAULICS / HITCH / DRAWBAR**

Open Center  
 Tandem Pumps Gear Type  
 3.6 gpm Power Steering  
 4.7 gpm Remote/3 Pt. Hitch  
 8.3 gpm Total Hyd. Flow

**3-POINT HITCH & DRAWBAR**

Cat I 3-Point Hitch  
 At lift Point 1356 lbs.  
 24" Behind 1058 lbs.  
 Quarter Inching 3-Point Valve

**POWER TAKE OFF**

Transmission Driven with  
 Over-Running Clutch  
 Rear PTO – 1 Speed  
 SAE Std 1 3/8" Six Spline  
 540 rpm @ 2773 Eng. rpm

**TRANSMISSION**

Gear Drive  
 Rear Differential Lock  
 9 Forward Speeds  
 3 Reverse Speeds  
 Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 Cast Iron (Narrow)  
 Bevel Gear 4WD  
 Tread Spacing - Nonadjustable

**FLUID CAPACITY**

Fuel Tank 6.9 gal.  
 Cooling System 4.1 qts.  
 Crankcase 3.3 qts.  
 Transmission and  
 Hydraulics 3.7 gal.  
 Front Axle 3.4 qts.

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**SAFETY EQUIPMENT**

2-Post Rigid ROPS w/Retractable  
 Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 SMV Sign

**Model Specifications**

| <b><u>B2320DT/DTWO</u></b> |            |
|----------------------------|------------|
| SAE Gross HP:              | 23.0       |
| Engine Net HP:             | 20.0       |
| PTO HP:                    | 18.0       |
| Engine Model:              | D1005      |
| Displacement:              | 61.1 Cu In |

# KUBOTA

## B Series B2320DT/B2320DTWO

| ORDER CODE                                   | DESCRIPTION   | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|--|---|----------------|------------------|----------------------|
| *** STANDARD TRACTOR WITH STANDARD TIRES *** |   |                |                  |                      |
| B2320DT                                      | 4WD Compact Tractor - 2 Post Rigid ROPS   | K9B607B26      | 1348 lbs         | \$12,317.00          |
| B2320DTWO                                    | 4WD Compact Tractor - 2 Post Rigid ROPS<br>Not Equipped with Front Loader Valve | K9B147B84      | 1348 lbs         | \$11,728.00          |

| B2320DT/B2320DTWO             |  | Additional Price With Tire Option |                |               |
|-------------------------------|--|-----------------------------------|----------------|---------------|
| TIRES AND WHEELS <sup>†</sup> |  |                                   |                |               |
| ORDER CODE                    | DESCRIPTION                              | Weight Each                       | FACTORY NUMBER | SUGG. LIST    |
| ABR8701*                      | F-TIRE 6-12 R1 AG Steel Bias CA          | 28 lbs                            | In Base Price  | In Base Price |
| ABR8755B*                     | R-TIRE 9.5-16 R1 Goodyear Dura Torque    | 76 lbs                            |                |               |
| BR8735                        | F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1 | 31 lbs                            | K87B36         | Add \$ 112.00 |
| ABR8790                       | R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac    | 80 lbs                            |                |               |
| ABR8727                       | F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh | 32 lbs                            | K43B68         | Add \$ 56.00  |
| ABR8779                       | R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac  | 82 lbs                            |                |               |
| ABR8763                       | F-TIRE 23x8.50-12 R4 Titan Trac Loader   | 43 lbs                            | K98B28         | Add \$ 126.00 |
| ABR8764                       | R-TIRE 12-16.5 R4 Titan Trac Loader      | 103 lbs                           |                |               |

<sup>†</sup> See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

# KUBOTA

**B Series****B2320DT/B2320DTWO****DEALER INSTALLED ACCESSORIES**

| ORDER CODE                          | DESCRIPTION  | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|-------------------------------------|--|----------------|------------------|----------------------|
| <b>HYDRAULICS/HITCH/DRAWBAR</b>     |  |                |                  |                      |
| <b>HYDRAULIC REAR REMOTE VALVES</b> |  |                |                  |                      |
| B7333                               | 1st Position Valve Kit - B2320DTWO<br>Contains Valve and Hoses<br>B2320DTWO also requires (1) 75536-68112 and<br>(2) 75536-68132 | K585B78        | 30 lbs           | \$751.00             |
| B7309C                              | 1st Position Valve Kit - B2320DT<br>Contains Valve and Hoses   | K620B10        | 27 lbs           | \$795.00             |
| BL7343                              | 2nd Position Kit<br>Requires 1st Position Kit and BL7373 or BL7393   | K39B00         | 1 lbs            | \$50.00              |
| BL7353                              | 3rd Position Kit<br>Requires 1st and 2nd Position Kit and BL7373 or BL7393   | K39B00         | 2 lbs            | \$50.00              |
| BL7373                              | 3-Position Detent Valve (Not Self Canceling)   | K234B00        | 5 lbs            | \$300.00             |
| BL7393                              | FD (Float Detent) Valve Section  | K257B40        | 6 lbs            | \$330.00             |

**ROPS ACCESSORIES**

|                        |  |         |        |          |
|------------------------|--|---------|--------|----------|
| <b>CANOPY</b>          |  |         |        |          |
| E1123                  | Fiberglass Canopy<br>Requires E1124 Mounting Kit       | K251Z16 | 90 lbs | \$322.00 |
| E1124                  | Fiberglass Canopy Mounting Kit                         | K140Z40 | 28 lbs | \$180.00 |
| E1133                  | Plastic Canopy   | K340B86 | 63 lbs | \$437.00 |
| <b>REAR WORK LIGHT</b> |  |         |        |          |
| B7335                  | Rear Working Auxiliary Light (Maximum 1 Light/Tractor) | K69B42  | 4 lbs  | \$89.00  |

**BALLAST**

|                               |   |         |         |          |
|-------------------------------|---|---------|---------|----------|
| <b>BALLAST BOX</b>            |   |         |         |          |
| B8160                         | Ballast Box - 3-Pont Mount  | K203B58 | 101 lbs | \$261.00 |
| <b>FRONT WEIGHT BRACKETS</b>  |   |         |         |          |
| BX8064A                       | Weight Bracket - 5 Weights<br>Not compatible with Front Grill Guards.                                     | K80B34  | 23 lbs  | \$103.00 |
| <b>FRONT SUITCASE WEIGHTS</b> |   |         |         |          |
| BL8060-1                      | Suitcase Weight (55 lbs. Each)<br>3 Weight per Standard Tractor Bracket<br>Requires one BL8062 per Weight | K55B38  | 55 lbs  | \$71.00  |
| <b>FRONT WEIGHT BOLT KITS</b> |   |         |         |          |
| BL8062                        | Weight Bolt Kits - 1 Kit per BL8060-1   | K4B68   | 1 lbs   | \$6.00   |

**ADDITIONAL ACCESSORIES**

|   |  |                                   |         |          |
|---|--|-----------------------------------|---------|----------|
| <b>BLOCK HEATER</b>                         |  |                                   |         |          |
| 70000-73274                                 | Block Heater                             | (Order from the Parts Department) |         |          |
| <b>GRILL GUARD - NON LOADER APPLICATION</b> |  |                                   |         |          |
| B1642                                       | Grill Guard for Non-Loader Application   | K134B16                           | 14 lbs  | \$172.00 |
| <b>HIGH CAPACITY ALTERNATOR KIT</b>         |  |                                   |         |          |
| B7311                                       | 40 Amp High Capacity Alternator Kit      | K149B76                           | 8 lbs   | \$192.00 |
| <b>REPLACEMENT ROPS</b>                     |  |                                   |         |          |
| SFB-F292                                    | Replacement ROPS - B2301HSD and B2601HSD | K435B00                           | 150 lbs | \$580.00 |
| <b>SPARK ARRESTING MUFFLER</b>              |  |                                   |         |          |
| 70000-01605                                 | Spark Arresting Muffler                  | (Order from the Parts Department) |         |          |
| <b>STORAGE COVER</b>                        |  |                                   |         |          |
| 70000-73732                                 | Storage Cover                            | (Order from the Parts Department) |         |          |

# KUBOTA

**B Series****B2320DT/B2320DTWO****Front End Loaders**

| ORDER CODE                            | DESCRIPTION   | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|---------------------------------------|---|----------------|------------------|----------------------|
| <b>LA304FL</b>                        |   |                |                  |                      |
| LA304FL                               | Front End Loader<br>Includes Mounting Kit, Stand, Grill Guard, and<br>48" Bucket<br>Valve is Standard on Tractor (Except B2320DTWO) | K2B203B50      | 646 lbs          | \$2,825.00           |
| <b>FRONT END LOADER CONTROL VALVE</b> |   |                |                  |                      |
| B1980                                 | Loader Control Valve - B2320DTWO only   | K521B82        | 36 lbs           | \$669.00             |
| <b>PIN-ON BUCKETS</b>                 |   |                |                  |                      |
| B1623                                 | 48" Pin-On Bucket   | K295B62        | 125 lbs          | \$379.00             |

# KUBOTA

## B Series

## B2320DT/B2320DTWO

### Front Quick Hitch & Front Quick Hitch Implements

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|------------|-------------|----------------|------------------|----------------------|
|------------|-------------|----------------|------------------|----------------------|

#### FRONT QUICK HITCH FRAME & COUPLER

|        |  |         |         |            |
|--------|--|---------|---------|------------|
| B2733A | Quick Hitch and Sub-Frame<br>Mid Mount Mower Decks must be removed to install Hitch<br>Hitch Brackets can stay in place when MMM Deck is installed | K822B12 | 190 lbs | \$1,054.00 |
| B1980  | Front Loader Valve<br>B2320DTWO Models Only  | K521B82 | 36 lbs  | \$669.00   |

#### FRONT QH DRIVELINE KITS

|        |   |         |        |          |
|--------|---|---------|--------|----------|
| B2788  | Mid PTO Driveline Kit. Requires Front Driveline Kit.          | K353B34 | 16 lbs | \$453.00 |
| BX2735 | Front Male Driveline Kit for BX2537A, BX5450,<br>and BX5455HD | K148B20 | 7 lbs  | \$190.00 |
| B2736  | Front Male Driveline Kit for B2779, B2781B, and<br>B2782B     | K166B14 | 7 lbs  | \$213.00 |

#### FRONT QH MOUNTED ROTARY SWEEPERS & ACCESSORIES

|         |  |           |         |            |
|---------|--|-----------|---------|------------|
| BX2537A | 47" Rotary Sweeper - Man. Angle, 18" Wafer<br>Requires Quick Hitch, Mid PTO Driveline Kit,<br>and Front Female Driveline Kit   | K1B577X94 | 300 lbs | \$2,023.00 |
| B2779   | 60" Rotary Sweeper - Hyd. Angle, 21.5" Wafer<br>Requires Quick Hitch, Mid PTO Driveline Kit,<br>and Front Female Driveline Kit | K3B318B90 | 300 lbs | \$4,255.00 |
| BX2737  | Side Caster Wheel Kit for BX2537A<br>Recommended for snow removal or lawn dethatching  | K219B18   | 30 lbs  | \$281.00   |
| BX2761  | Hydraulic Angle Kit for BX2537A  | K386B10   | 13 lbs  | \$495.00   |
| BL2178  | Side Caster Wheel Kit for B2779<br>Recommended for snow removal or lawn dethatching  | K365L04   | 45 lbs  | \$468.00   |
| L2168   | Rubber Deflector for B2779   | K127L14   | 31 lbs  | \$163.00   |

#### FRONT QH MOUNTED BLADES & ACCESSORIES

|        |   |           |         |            |
|--------|---|-----------|---------|------------|
| B2765A | 60" Blade - Hyd. Angle, Trip Spring Lockout<br>Requires Quick Hitch | K1B284B66 | 411 lbs | \$1,647.00 |
| B2775  | 72" Blade - Hyd. Angle<br>Requires Quick Hitch                      | K1B400B10 | 535 lbs | \$1,795.00 |
| B2766  | 60" Rubber Cutting Edge   | K171B60   | 49 lbs  | \$220.00   |
| B2776  | 72" Rubber Cutting Edge   | K202B02   | 59 lbs  | \$259.00   |

# KUBOTA

## B Series

## B2320DT/B2320DTWO

| ORDER CODE   | DESCRIPTION   | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|--|---|----------------|------------------|----------------------|
| <b>FRONT QH MOUNTED SNOW BLOWERS &amp; ACCESSORIES</b> |   |                |                  |                      |
| BX5450   | 50" Two Stage Snowblower<br>Manual Rotator and Deflector<br>Requires Quick Hitch, Mid PTO Driveline Kits, and<br>Front Female Driveline Kit                             | K1B649X70      | 313 lbs          | \$2,115.00           |
| BX5455HD   | 55" Two Stage Snowblower, Commercial Grade<br>Hydraulic Rotator and Manual Deflector<br>Requires Quick Hitch, Mid PTO Driveline Kits, and<br>Front Female Driveline Kit | K2B804X88      | 425 lbs          | \$3,596.00           |
| B2781B   | 51" Two Stage Snowblower<br>Manual Rotator and Deflector<br>Requires Quick Hitch and Mid PTO Driveline Kit  | K2B262B00      | 475 lbs          | \$2,900.00           |
| B2782B   | 63" Two Stage Snowblower<br>Manual Rotator and Deflector<br>Requires Quick Hitch and Mid PTO Driveline Kit  | K2B428B92      | 500 lbs          | \$3,114.00           |
| BX5441   | Hydraulic Chute Rotation for BX5450   | K664B56        | 14 lbs           | \$852.00             |
| BX5442   | Electric Chute Rotation Kit for BX5450  | K315B12        | 7 lbs            | \$404.00             |
| BX5443   | Electric Chute Deflector Kit for BX5450 & BX5455HD  | K414B96        | 7 lbs            | \$532.00             |
| BX5444   | Hard Plastic Shoes for BX5450 & BX5455HD  | K112B32        | 2 lbs            | \$144.00             |
| BX5445   | Hard Plastic Cutting Edge for BX5450  | K82B68         | 2 lbs            | \$106.00             |
| BX5446   | Hard Plastic Cutting Edge for BX5455HD  | K90B48         | 2 lbs            | \$116.00             |
| BX5447   | Drift Cutters for BX5455HD  | K65B52         | 9 lbs            | \$84.00              |
| GR2714   | Drift Cutters for BX5450  | K48G38         | 50 lbs           | \$59.00              |
| B2516A   | Electric Chute Deflector for B2781B and B2782B  | K496B08        | 9 lbs            | \$636.00             |
| B2756  | Hydraulic Chute Rotation for B2781B and B2782B  | K613B86        | 20 lbs           | \$787.00             |
| BL2666A  | Hydraulic Chute Deflector for B2781B and B2782B<br>Requires Hyd. Chute Rotation Kit   | K750B36        | 22 lbs           | \$962.00             |
| B2786  | Side Extension Kit for B2781B and B2782B  | K94B38         | 27 lbs           | \$121.00             |

# KUBOTA

## B Series

## B2320DT/B2320DTWO

| ORDER CODE                                     | DESCRIPTION   | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|--|---|----------------|------------------|----------------------|
| <b>MID MOUNT MOWER DECKS &amp; ACCESSORIES</b> |   |                |                  |                      |
| RCK54-29B                                      | 54" Cutting Width - 3 Blade Finish Mower<br>RH Discharge, Drive Over Deck Design<br>Not Compatible with B8786 Wheel Spacers | K1B640B34      | 365 lbs          | \$2,103.00           |
| RCK60-29B                                      | 60" Cutting Width - 3 Blade Finish Mower<br>RH Discharge, Drive Over Deck Design<br>Not Compatible with B8786 Wheel Spacers | K2B008B50      | 418 lbs          | \$2,575.00           |
| GCK60-76BA                                     | Grass Catcher<br>3 Bag (9.75 Bushels)<br>Requires Boot Kit  | K1B627B86      | 270 lbs          | \$2,087.00           |
| B3045A   | Boot Kit - 54" Deck   | K225B42        | 25 lbs           | \$289.00             |
| B3047A   | Boot Kit - 60" Deck   | K225B42        | 31 lbs           | \$289.00             |

## BACKHOE & ACCESSORIES

|         |   |           |         |            |
|---------|---|-----------|---------|------------|
| BH65    | 7' Backhoe - 4 Point Mount<br>Quick Mount/Dismount without Tools<br>Requires Sub-Frame, 3pt Linkage must be removed to mount<br>MMM may remain on the unit, locked in the upper position<br>Not compatible with Grass Catcher | K4B457B70 | 850 lbs | \$5,715.00 |
| BH4965  | BH Sub-Frame<br>Includes Reversible Seat Mechanism  | K767B52   | 202 lbs | \$984.00   |
| BT1950A | 10" Bucket - 3 Teeth  | K323B70   | 63 lbs  | \$415.00   |
| BT1951A | 12" Bucket - 3 Teeth  | K382B98   | 69 lbs  | \$491.00   |
| BT1952A | 16" Bucket - 4 Teeth  | K505B44   | 82 lbs  | \$648.00   |
| BH1976  | Mechanical Thumb - 6 Position   | K370B50   | 51 lbs  | \$475.00   |
| BX9468  | Rubber Flip Pads for Stabilizers (order 2 per BH)   | K96B72    | 19 lbs  | \$124.00   |

## 3-POINT REAR MOUNTED IMPLEMENTS & ACCESSORIES

|         |  |           |         |            |
|---------|--|-----------|---------|------------|
| B2789   | 51" Two Stage Snow Blower (3-Pt Mount)<br>Requires either Manual or Hydraulic Chute Rotation Kit | K2B115B36 | 390 lbs | \$2,712.00 |
| BL2665  | Manual Chute Rotation Kit  | K134B16   | 11 lbs  | \$172.00   |
| B2784A  | Hydraulic Chute Rotation Kit<br>Requires a Minimum of 1 Rear Remote                              | K654B42   | 14 lbs  | \$839.00   |
| BL2666A | Hydraulic Chute Deflector Kit<br>Requires Hydraulic Chute Rotation Kit                           | K750B36   | 22 lbs  | \$962.00   |
| B2516A  | Electric Chute Deflector Kit   | K496B08   | 9 lbs   | \$636.00   |
| L2177   | Side Extension Kit - 5"  | K89L70    | 27 lbs  | \$115.00   |

# KUBOTA

---

## B Series

---

This page intentionally left blank.

# KUBOTA

## B Series

## B2320DTN-1

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

### DIESEL ENGINE

Kubota Indirect Injection  
 3 Cylinder Engine  
 EPA Tier 4 Compliant  
 Charging Output 14.5 Amps  
 12V – 430 CCA  
 Dual Air Cleaner Element

### EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

### HYDRAULICS / HITCH / DRAWBAR

Open Center  
 Tandem Pumps Gear Type  
 3.6 gpm Power Steering  
 4.7 gpm Remote/3 Pt. Hitch  
 8.3 gpm Total Hyd. Flow

### 3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch  
 At lift Point 1655 lbs.  
 24" Behind 1300 lbs.  
 Position Control Valve

### POWER TAKE OFF

Transmission Driven with  
 Over-running Clutch  
 Rear PTO – 1 Speed  
 SAE Std 1 3/8" Six Spline  
 540 rpm @ 2773 Eng. rpm

### TRANSMISSION

Gear Drive  
 Rear Differential Lock  
 9 Forward Speeds  
 3 Reverse Speeds  
 Wet Disc Brakes

### FRONT AXLE

Hydrostatic Power Steering  
 Cast Iron (Narrow)  
 Bevel Gear 4WD  
 Tread Spacing - Nonadjustable

### FLUID CAPACITY

|                                |          |
|--------------------------------|----------|
| Fuel Tank                      | 6.9 gal. |
| Cooling System                 | 4.1 qts. |
| Crankcase                      | 3.3 qts. |
| Transmission and<br>Hydraulics | 3.7 gal. |
| Front Axle                     | 3.4 qts. |

### INSTRUMENTS

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

### SAFETY EQUIPMENT

2-Post Rigid ROPS w/Retractable  
 Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 SMV Sign

### Model Specifications

#### B2320DTN

|                |   |
|----------------|---|
| SAE Gross HP:  | 23.0  |
| Engine Net HP: | 20.0  |
| PTO HP:        | 18.0  |
| Engine Model:  | D1005   |
| Displacement:  | 61.1 Cu In  |
| Tread Width:   | Front: 27.8" (overall width 34.1")<br>Rear: 27.6" to 29.5" (overall width 35.4" to 37.4") |

# KUBOTA

## B Series B2320DTN-1

| ORDER CODE                                   | DESCRIPTION                                      | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|--|--|----------------|------------------|----------------------|
| *** STANDARD TRACTOR WITH STANDARD TIRES *** |  |                |                  |                      |
| B2320DTN-1                                   | 4WD Compact Tractor (Narrow) - 2 Post Rigid ROPS | K10B069B02     | 1348 lbs         | \$12,909.00          |

| B2320DTN-1 |   | Additional Price With Tire Option |                |               |
|------------|---|-----------------------------------|----------------|---------------|
| ORDER CODE | DESCRIPTION                             | Weight Each                       | FACTORY NUMBER | SUGG. LIST    |
| BR8762*    | F-TIRE 5-12 R1 B-Stone Farm Service Lug | 24 lbs                            | In Base Price  | In Base Price |
| BR8754A*   | R-TIRE 8-16 R1 Bridgestone Farm Svc Lug | 62 lbs                            |                |               |
| ABR8701    | F-TIRE 6-12 R1 AG Steel Bias CA         | 28 lbs                            | K17B16         | Add \$ 22.00  |
| ABR8753B   | F-TIRE 8.3-16 R1 OTR Traction Master    | 64 lbs                            |                |               |

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires

# KUBOTA

**B Series****B2320DTN-1****DEALER INSTALLED ACCESSORIES**

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|------------|-------------|----------------|------------------|----------------------|
|------------|-------------|----------------|------------------|----------------------|

**HYDRAULICS/HITCH/DRAWBAR**

| <b>HYDRAULIC REAR REMOTE VALVES</b> |   |         |        |          |
|-------------------------------------|---|---------|--------|----------|
| B7333                               | 1st Position Valve Kit<br>Contains Valve and Hoses<br>B2320DTN-1 also requires (1) 75536-68112 and<br>(2) 75536-68132 | K585B78 | 30 lbs | \$751.00 |
| BL7343                              | 2nd Position Kit<br>Requires 1st Position Kit and BL7373 or BL7393  | K39B00  | 1 lbs  | \$50.00  |
| BL7353                              | 3rd Position Kit<br>Requires 1st and 2nd Position Kit and BL7373 or BL7393  | K39B00  | 2 lbs  | \$50.00  |
| BL7373                              | 3-Position Detent Valve (Not Self Canceling)  | K234B00 | 5 lbs  | \$300.00 |
| BL7393                              | FD (Float Detent) Valve Section   | K257B40 | 6 lbs  | \$330.00 |

**ROPS ACCESSORIES**

| <b>CANOPY</b>          |  |         |        |          |
|------------------------|--|---------|--------|----------|
| E1123                  | Fiberglass Canopy<br>Requires E1124 Mounting Kit       | K251Z16 | 90 lbs | \$322.00 |
| E1124                  | Fiberglass Canopy Mounting Kit                         | K140Z40 | 28 lbs | \$180.00 |
| E1133                  | Plastic Canopy   | K340B86 | 63 lbs | \$437.00 |
| <b>REAR WORK LIGHT</b> |  |         |        |          |
| B7335                  | Rear Working Auxiliary Light (Maximum 1 Light/Tractor) | K69B42  | 4 lbs  | \$89.00  |

**BALLAST**

| <b>BALLAST BOX</b>            |   |         |         |          |
|-------------------------------|---|---------|---------|----------|
| B8160                         | Ballast Box - 3-Point Mount   | K203B58 | 101 lbs | \$261.00 |
| <b>FRONT WEIGHT BRACKETS</b>  |   |         |         |          |
| BX8064A                       | Weight Bracket - 5 Weights<br>Not compatible with Front Grill Guards.                                     | K80B34  | 23 lbs  | \$103.00 |
| <b>FRONT SUITCASE WEIGHTS</b> |   |         |         |          |
| BL8060-1                      | Suitcase Weight (55 lbs. Each)<br>3 Weight per Standard Tractor Bracket<br>Requires one BL8062 per Weight | K55B38  | 55 lbs  | \$71.00  |
| <b>FRONT WEIGHT BOLT KITS</b> |   |         |         |          |
| BL8062                        | Weight Bolt Kits - 1 Kit per BL8060-1   | K4B68   | 1 lbs   | \$6.00   |
| <b>REAR WHEEL WEIGHT KITS</b> |   |         |         |          |
| B8048                         | Rear Wheel Weight for BR8754<br>Includes 2 Weights and Hardware   | K194B22 | TBA     | \$249.00 |

# KUBOTA

## B Series

## B2320DTN-1

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|------------|-------------|----------------|------------------|----------------------|
|------------|-------------|----------------|------------------|----------------------|

### ADDITIONAL ACCESSORIES

|   |  |         |         |                                   |
|---|--|---------|---------|-----------------------------------|
| <b>BLOCK HEATER</b>                         |  |         |         |                                   |
| 70000-73274                                 | Block Heater                             |         |         | (Order from the Parts Department) |
| <b>GRILL GUARD - NON LOADER APPLICATION</b> |  |         |         |                                   |
| B1642                                       | Grill Guard for Non-Loader Application   | K134B16 | 14 lbs  | \$172.00                          |
| <b>HIGH CAPACITY ALTERNATOR KIT</b>         |  |         |         |                                   |
| B7311                                       | 40 Amp High Capacity Alternator Kit      | K149B76 | 8 lbs   | \$192.00                          |
| <b>REPLACEMENT ROPS</b>                     |  |         |         |                                   |
| SFB-232N                                    | Replacement ROPS - B2301HSD and B2601HSD | K285B00 | 115 lbs | \$380.00                          |
| <b>SPARK ARRESTING MUFFLER</b>              |  |         |         |                                   |
| 70000-01605                                 | Spark Arresting Muffler                  |         |         | (Order from the Parts Department) |
| <b>STORAGE COVER</b>                        |  |         |         |                                   |
| 70000-73732                                 | Storage Cover                            |         |         | (Order from the Parts Department) |

### 3-POINT REAR MOUNTED IMPLEMENTS & ACCESSORIES

|         |  |           |         |            |
|---------|--|-----------|---------|------------|
| B2789   | 51" Two Stage Snow Blower (3-Pt Mount)<br>Requires either Manual or Hydraulic Chute Rotation Kit | K2B115B36 | 390 lbs | \$2,712.00 |
| BL2665  | Manual Chute Rotation Kit  | K134B16   | 11 lbs  | \$172.00   |
| B2784A  | Hydraulic Chute Rotation Kit<br>Requires a Minimum of 1 Rear Remote                              | K654B42   | 14 lbs  | \$839.00   |
| BL2666A | Hydraulic Chute Deflector Kit<br>Requires Hydraulic Chute Rotation Kit                           | K750B36   | 22 lbs  | \$962.00   |
| B2516A  | Electric Chute Deflector Kit   | K496B08   | 9 lbs   | \$636.00   |
| L2177   | Side Extension Kit - 5"  | K89L70    | 27 lbs  | \$115.00   |

# KUBOTA

## B Series

## B2650HSD/B2650HSDC

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

### DIESEL ENGINE

Kubota Indirect Injection  
3 Cylinder Engine  
EPA Tier 4 Compliant  
Charging Output (ROPS) 14.5 Amps  
Charging Output (Cab) 60.0 Amps  
12V – 430 CCA  
Dual Air Cleaner Element

### EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

### HYDRAULICS / HITCH / DRAWBAR

Open Center  
Tandem Pumps Gear Type  
3.7 gpm Power Steering  
5.0 gpm Remote/3 Pt. Hitch  
8.7 gpm Total Hyd. Flow

### 3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch  
At Lift Point 2139 lbs.  
24" Behind 1676 lbs.  
Position Control 3-Point Valve

### POWER TAKE OFF

Live Independent with Hydraulic Clutch  
Rear PTO – 1 Speed  
SAE Std 1 3/8" Six Spline  
563 rpm @ 2500 Eng. rpm  
Mid PTO – 1 Speed  
2500 rpm @ 2500 Eng. rpm

### TRANSMISSION

Hydrostatic Drive  
Rear Differential Lock  
3 Forward Ranges  
3 Reverse Ranges  
Cruise Control  
Wet Disc Brakes

### FRONT AXLE

Hydrostatic Power Steering  
Cast Iron  
Bevel Gear 4WD  
Tread Spacing - Nonadjustable

### FLUID CAPACITY

Fuel Tank (ROPS) 7.1 gal.  
Fuel Tank (Cab) 7.4 gal  
Cooling System 4.5 qts.  
Crankcase 4.2 qts.  
Transmission and 4.0 gal.  
Hydraulics  
Front Axle 5.0 qts.

### INSTRUMENTS

Tachometer/Hour meter  
Oil Pressure  
Fuel Gauge  
Coolant Temperature

### ROPS FEATURES

Tilt Steering  
Cruise Control  
Deluxe Seat with Arm Rest  
Telescoping Stabilizers  
12V Outlet and Cup Holder  
Integrated Loader Valve and Joystick  
Toolbox  
Left Side Step

### CAB FEATURES

Tilt Steering  
Cruise Control  
AC/Heater  
Deluxe Seat with Armrest  
Telescoping Stabilizers  
Ratchet Right Link  
Front and Rear Wiper  
12V Outlet and Cup Holder  
Integrated Loader Valve and Joystick

### SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Electric Key Shut Off  
Parking Brake  
SMV Sign

### Model Specifications

| <u>B2650HSD</u> |            | <u>B2650HSDC</u> |            |
|-----------------|------------|------------------|------------|
| SAE Gross HP:   | 25.0       | SAE Gross HP:    | 25.0       |
| Engine Net HP:  | 23.3       | Engine Net HP:   | 23.3       |
| PTO HP:         | 19.5       | PTO HP:          | 19.5       |
| Engine Model:   | D1305      | Engine Model:    | D1305      |
| Displacement:   | 77.0 Cu In | Displacement:    | 77.0 Cu In |

# KUBOTA

## B Series B2650HSD/B2650HSDC

| ORDER CODE                                   | DESCRIPTION                                | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|--|--|----------------|------------------|----------------------|
| *** STANDARD TRACTOR WITH STANDARD TIRES *** |  |                |                  |                      |
| B2650HSD                                     | 4WD Compact Tractor - 2 Post Foldable ROPS | K12B926B16     | 1392 lbs         | \$16,572.00          |
| B2650HSDC                                    | 4WD Compact Tractor - Cab (ROPS Certified) | K18B872B10     | 2271 lbs         | \$24,195.00          |

| B2650HSD / B2650HSDC |   | Additional Price With Tire Option |                |               |
|----------------------|---|-----------------------------------|----------------|---------------|
| ORDER CODE           | DESCRIPTION                               | Weight Each                       | FACTORY NUMBER | SUGG. LIST    |
| BR8707A*             | F-TIRE 7-12 R1 B-Stone Farm Service Lug   | 33 lbs                            | In Base Price  | In Base Price |
| ABR9382*             | R-TIRE 12.4-16 R1 F-Stone TracField&Rd TT | 93 lbs                            |                |               |
| ABR8742              | F-TIRE 24x8.50-14 R3 Titan Multi Trac     | 42 lbs                            | K60B84         | Add \$ 78.00  |
| ABR8744              | R-TIRE 13.6-16 R3 Titan Multi Trac        | 133 lbs                           |                |               |
| ABR8726              | F-TIRE 23x8.50-14 R4 Titan Trac Loader    | 50 lbs                            | K62B40         | Add \$ 80.00  |
| BR8749               | R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug  | 108 lbs                           |                |               |

† See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

# KUBOTA

## B Series

## B3350HSD/B3350HSDC

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

### DIESEL ENGINE

Kubota Indirect Injection  
4 Cylinder Engine  
EPA Tier 4 Compliant  
Charging Output (ROPS) 60.0 Amps  
Charging Output (Cab) 75.0 Amps  
12V – 430 CCA  
Dual Air Cleaner Element

### EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

### HYDRAULICS / HITCH / DRAWBAR

Open Center  
Tandem Pumps Gear Type  
3.7 gpm Power Steering  
5.0 gpm Remote/3 Pt. Hitch  
8.7 gpm Total Hyd. Flow

### 3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch  
At Lift Point 2139 lbs.  
24" Behind 1676 lbs.  
Position Control 3-Point Valve

### POWER TAKE OFF

Live Independent with Hydraulic Clutch  
Rear PTO – 1 Speed  
SAE Std 1 3/8" Six Spline  
563 rpm @ 2500 Eng. rpm  
Mid PTO – 1 Speed  
2500 rpm @ 2500 Eng. rpm

### TRANSMISSION

Hydrostatic Drive  
Rear Differential Lock  
3 Forward Ranges  
3 Reverse Ranges  
Cruise Control  
Wet Disc Brakes

### FRONT AXLE

Hydrostatic Power Steering  
Cast Iron  
Bevel Gear 4WD  
Tread Spacing - Nonadjustable

### FLUID CAPACITY

Fuel Tank (ROPS) 7.1 gal.  
Fuel Tank (Cab) 7.4 gal  
Cooling System 4.5 qts.  
Crankcase 5.0 qts.  
Transmission and  
Hydraulics 4.0 gal.  
Front Axle 5.0 qts.

### INSTRUMENTS

Tachometer/Hour meter  
Oil Pressure  
Fuel Gauge  
Coolant Temperature

### ROPS FEATURES

Tilt Steering  
Cruise Control  
Deluxe Seat with Arm Rest  
Telescoping Stabilizers  
12V Outlet and Cup Holder  
Integrated Loader Valve and Joystick  
Toolbox  
Left Side Step

### CAB FEATURES

Tilt Steering  
Cruise Control  
AC/Heater  
Deluxe Seat with Armrest  
Telescoping Stabilizers  
Ratchet Right Link  
Front and Rear Wiper  
12V Outlet and Cup Holder  
Integrated Loader Valve and Joystick

### SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable  
Seat Belt  
Flip-Up PTO Shield  
Safety Start Switches  
Electric Key Shut Off  
Parking Brake  
SMV Sign

### Model Specifications

| <u>B3350HSD</u> |            | <u>B3350HSDC</u> |            |
|-----------------|------------|------------------|------------|
| SAE Gross HP:   | 33.0       | SAE Gross HP:    | 33.0       |
| Engine Net HP:  | 29.6       | Engine Net HP:   | 29.6       |
| PTO HP:         | 27.0       | PTO HP:          | 27.0       |
| Engine Model:   | V1505      | Engine Model:    | V1505      |
| Displacement:   | 91.5 Cu In | Displacement:    | 91.5 Cu In |

# KUBOTA

## B Series B3350HSD/B3350HSDC

| ORDER CODE                                   | DESCRIPTION                                | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|--|--|----------------|------------------|----------------------|
| *** STANDARD TRACTOR WITH STANDARD TIRES *** |  |                |                  |                      |
| B3350HSD                                     | 4WD Compact Tractor - 2 Post Foldable ROPS | K16B568B76     | 1403 lbs         | \$21,242.00          |
| B3350HSDC                                    | 4WD Compact Tractor - Cab (ROPS Certified) | K22B514B70     | 2271 lbs         | \$28,865.00          |

| B3350HSD / B3350HSDC          |  | Additional Price With Tire Option |                |               |
|-------------------------------|--|-----------------------------------|----------------|---------------|
| TIRES AND WHEELS <sup>†</sup> |  |                                   |                |               |
| ORDER CODE                    | DESCRIPTION                              | Weight Each                       | FACTORY NUMBER | SUGG. LIST    |
| BR8707A*                      | F-TIRE 7-12 R1 B-Stone Farm Service Lug  | 33 lbs                            | In Base Price  | In Base Price |
| ABR9382*                      | R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT | 93 lbs                            |                |               |
| ABR8742                       | F-TIRE 24x8.50-14 R3 Titan Multi Trac    | 42 lbs                            | K60B84         | Add \$ 78.00  |
| ABR8744                       | R-TIRE 13.6-16 R3 Titan Multi Trac       | 133 lbs                           |                |               |
| ABR8726                       | F-TIRE 23x8.50-14 R4 Titan Trac Loader   | 50 lbs                            | K62B40         | Add \$ 80.00  |
| BR8749                        | R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug | 108 lbs                           |                |               |
| ABR8767**                     | F-TIRE 25x8.50-14 R4 Titan Trac Loader   | 56 lbs                            | K419B64        | Add \$ 538.00 |
| ABR8768**                     | R-TIRE 15-19.5 R4 Titan Trac Loader      | 174 lbs                           |                |               |

<sup>†</sup> See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

\*\* Non-Cab Units only, Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

# KUBOTA

## B Series

## B3350SUHSD

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

### DIESEL ENGINE

Kubota Indirect Injection  
 4 Cylinder Engine  
 EPA Tier 4 Compliant  
 Charging Output (ROPS) 60.0 Amps  
 12V – 430 CCA  
 Dual Air Cleaner Element

### EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

### HYDRAULICS / HITCH / DRAWBAR

Open Center  
 Tandem Pumps Gear Type  
 3.7 gpm Power Steering  
 5.0 gpm Remote/3 Pt. Hitch  
 8.7 gpm Total Hyd. Flow

### 3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch  
 At Lift Point 2139 lbs.  
 24" Behind 1676 lbs.  
 Quarter Inching 3-Point Valve

### POWER TAKE OFF

Live Independent with Hydraulic Clutch  
 Rear PTO – 1 Speed  
 SAE Std 1 3/8" Six Spline  
 563 rpm @ 2500 Eng. rpm

### TRANSMISSION

Hydrostatic Drive  
 Rear Differential Lock  
 3 Forward Ranges  
 3 Reverse Ranges  
 Cruise Control  
 Wet Disc Brakes

### FRONT AXLE

Hydrostatic Power Steering  
 Cast Iron  
 Bevel Gear 4WD  
 Tread Spacing - Nonadjustable

### FLUID CAPACITY

Fuel Tank (ROPS) 7.1 gal.  
 Cooling System 4.5 qts.  
 Crankcase 5.0 qts.  
 Transmission and Hydraulics 4.0 gal.  
 Front Axle 5.0 qts.

### INSTRUMENTS

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

### ROPS FEATURES

12V Outlet and Cup Holder  
 Integrated Loader Valve and Joystick  
 Toolbox  
 Left Side Step

### SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable  
 Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 SMV Sign

### Model Specifications

|                | <b><u>B3350SUHSD</u></b> |
|----------------|--------------------------|
| SAE Gross HP:  | 33.0                     |
| Engine Net HP: | 29.6                     |
| PTO HP:        | 27.0                     |
| Engine Model:  | V1505                    |
| Displacement:  | 91.5 Cu In               |

# KUBOTA

## B Series B3350SUHSD

| ORDER CODE                                   | DESCRIPTION                                | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|--|--|----------------|------------------|----------------------|
| *** STANDARD TRACTOR WITH STANDARD TIRES *** |  |                |                  |                      |
| B3350SUHSD                                   | 4WD Compact Tractor - 2 Post Foldable ROPS | K14B789B58     | 1743 lbs         | \$18,961.00          |

| B3350SUHSD |  | Additional Price With Tire Option |                |               |
|------------|--|-----------------------------------|----------------|---------------|
| ORDER CODE | DESCRIPTION                              | Weight Each                       | FACTORY NUMBER | SUGG. LIST    |
| BR8707A*   | F-TIRE 7-12 R1 B-Stone Farm Service Lug  | 33 lbs                            | In Base Price  | In Base Price |
| ABR9382*   | R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT | 93 lbs                            |                |               |
| ABR8742    | F-TIRE 24x8.50-14 R3 Titan Multi Trac    | 42 lbs                            | K60B84         | Add \$ 78.00  |
| ABR8744    | R-TIRE 13.6-16 R3 Titan Multi Trac       | 133 lbs                           |                |               |
| ABR8726    | F-TIRE 23x8.50-14 R4 Titan Trac Loader   | 50 lbs                            | K62B40         | Add \$ 80.00  |
| BR8749     | R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug | 108 lbs                           |                |               |
| ABR8767**  | F-TIRE 25x8.50-14 R4 Titan Trac Loader   | 56 lbs                            | K419B64        | Add \$ 538.00 |
| ABR8768**  | R-TIRE 15-19.5 R4 Titan Trac Loader      | 174 lbs                           |                |               |

† See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

\*\* Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

# KUBOTA

**B Series****B2650/3350****DEALER INSTALLED ACCESSORIES**

| ORDER CODE  | DESCRIPTION   | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|---|---|----------------|------------------|----------------------|
| <b>HYDRAULICS/HITCH/DRAWBAR</b>                   |   |                |                  |                      |
| <b>HYDRAULIC REAR REMOTE VALVES - ROPS MODELS</b> |   |                |                  |                      |
| B7309C  | 1st Position Valve Kit<br>Contains Valve and Hoses<br>When installing a B7309C on tractors with Backhoe or 3rd Function Valve, please refer to PIB-2016-011 for additional part needed. | K620B10        | 27 lbs           | \$795.00             |
| BL7343  | 2nd Position Kit<br>Requires 1st Position Kit and BL7373 or BL7393  | K39B00         | 1 lbs            | \$50.00              |
| BL7353  | 3rd Position Kit<br>Requires 1st and 2nd Position Kit and BL7373 or BL7393  | K39B00         | 2 lbs            | \$50.00              |
| BL7373  | 3-Position Detent Valve (Not Self Canceling)  | K234B00        | 5 lbs            | \$300.00             |
| BL7393  | FD (Float Detent) Valve Section   | K257B40        | 6 lbs            | \$330.00             |
| <b>HYDRAULIC REAR REMOTE VALVES - CAB MODELS</b>  |   |                |                  |                      |
| B7316   | Base Kit and 1st Lever - Cab Models Only<br>Requires B7304 Double Acting Valve  | K389B22        | 15 lbs           | \$499.00             |
| B7317   | 2nd Position Stacking Kit and 2nd Lever - Cab Models Only<br>Requires B7316, B7304, and a B7304 or B7305  | K212B94        | 7 lbs            | \$273.00             |
| B7304   | Double Acting Valve Section   | K187B20        | 4 lbs            | \$240.00             |
| B7305   | FD (Float Detent) Valve Section (2nd Position Only)   | K235B56        | 5 lbs            | \$302.00             |
| <b>3-POINT OPTIONS</b>                            |   |                |                  |                      |
| B2677   | Telescoping Lower Link End Kit<br>B2650HSD, B3350HSD, and B3350SUHSD<br>Included for Cab models.  | K162B24        | 32 lbs           | \$208.00             |
| B2667   | Ratchet Type Lift Rod<br>B2650HSD, B3350HSD, and B3350SUHSD<br>Included for Cab models.   | K88B14         | 5 lbs            | \$113.00             |
| <b>ROPS ACCESSORIES</b>                           |   |                |                  |                      |
| <b>CANOPY</b>                                     |   |                |                  |                      |
| E1123   | Fiberglass Canopy<br>Requires E1124 Mounting Kit  | K251Z16        | 90 lbs           | \$322.00             |
| E1124   | Fiberglass Canopy Mounting Kit  | K140Z40        | 28 lbs           | \$180.00             |
| E1133   | Plastic Canopy  | K340B86        | 63 lbs           | \$437.00             |
| <b>REAR WORK LIGHT</b>                            |   |                |                  |                      |
| B7335   | Rear Working Auxiliary Light (1 Light)  | K69B42         | 4 lbs            | \$89.00              |

# KUBOTA

**B Series****B2650/3350****DEALER INSTALLED ACCESSORIES**

| ORDER CODE                          | DESCRIPTION   | FACTORY NUMBER                    | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|-------------------------------------|---|-----------------------------------|------------------|----------------------|
| <b>CAB OPTIONS</b>                  |   |                                   |                  |                      |
| <b>HIGH CAPACITY ALTERNATOR KIT</b> |   |                                   |                  |                      |
| B2655                               | 90 Amp High Capacity Alternator Kit<br>May be required with some electrical accessories<br>Please see Bulletin PSB-2015-069 for details<br>For B3350 Cab models only. | K361B14                           | 28 lbs           | \$463.00             |
| <b>RADIOS</b>                       |   |                                   |                  |                      |
| 3 Models                            | Jensen Radio  | (Order from the Parts Department) |                  |                      |
| <b>REAR WORK LIGHTS</b>             |   |                                   |                  |                      |
| B7337                               | Rear Work Light Kit (2 Lights)  | K102B18                           | 3 lbs            | \$131.00             |
| <b>BALLAST</b>                      |   |                                   |                  |                      |
| <b>BALLAST BOX</b>                  |   |                                   |                  |                      |
| B8160                               | Ballast Box - 3 pt Mount  | K203B58                           | 101 lbs          | \$261.00             |
| <b>FRONT WEIGHT BRACKETS</b>        |   |                                   |                  |                      |
| BX8064A                             | Weight Bracket - 5 Weights<br>Not compatible with Front Grill Guards.   | K80B34                            | 23 lbs           | \$103.00             |
| <b>FRONT SUITCASE WEIGHTS</b>       |   |                                   |                  |                      |
| BL8060-1                            | Suitcase Weight (55 lbs. Each)<br>Requires BX8064A<br>Requires One BL8062 per Weight  | K55B38                            | 55 lbs           | \$71.00              |
| <b>FRONT WEIGHT BOLT KITS</b>       |   |                                   |                  |                      |
| BL8062                              | Weight Bolt Kits - 1 Kit per BL8060-1   | K4B68                             | 1 lbs            | \$6.00               |

# KUBOTA

## B Series

## B2650/3350

### DEALER INSTALLED ACCESSORIES

| ORDER CODE  | DESCRIPTION   | FACTORY NUMBER                    | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|---|---|-----------------------------------|------------------|----------------------|
| <b>ADDITIONAL ACCESSORIES</b>   |   |                                   |                  |                      |
| <b>ARM REST</b>   |   |                                   |                  |                      |
| B7358   | Arm Rest Kit - B3350SUHSD Only  | K60B84                            | 7 lbs            | \$78.00              |
| <b>BLOCK HEATER</b>   |   |                                   |                  |                      |
| 70000-73274   | Block Heater  | (Order from the Parts Department) |                  |                      |
| <b>CRUISE CONTROL</b>   |   |                                   |                  |                      |
| B1015   | Cruise Control Kit - B3350SUHSD Only  | K35B10                            | 3 lbs            | \$45.00              |
| <b>EXTRA LENGTH SEAT BELT</b>   |   |                                   |                  |                      |
| 70002-06605   | B2650HSDC and B3350HSDC   | (Order from the Parts Department) |                  |                      |
| <b>GRILL GUARD - NON LOADER APPLICATION</b>                               |   |                                   |                  |                      |
| B2336A  | Grill Guard for Non-Loader Application  | K164B58                           | 19 lbs           | \$211.00             |
| <b>REAR WHEEL SPACERS</b>   |   |                                   |                  |                      |
| B8785   | 1 3/8" Spacers<br>Not Compatible with Mid Mount Mowers                              | K248B82                           | 39 lbs           | \$319.00             |
| <b>REPLACEMENT ROPS</b>   |   |                                   |                  |                      |
| SFB-F50   | Replacement ROPS - B2301HSD and B2601HSD  | K452B40                           | 115 lbs          | \$580.00             |
| <b>REPLACEMENT CABS (SOME COMPONENTS FROM THE OLD CAB WILL BE NEEDED)</b> |   |                                   |                  |                      |
| B7076   | Replacement Cab for B2650HSDC   | K6B111B30                         | 627 lbs          | \$7,835.00           |
| B7075   | Replacement Cab for B3350HSDC   | K6B148B74                         | 627 lbs          | \$7,883.00           |
| <b>SPARK ARRESTING MUFFLER</b>  |   |                                   |                  |                      |
| 70000-01605   | Spark Arresting Muffler for B2650HSD and B2650HSDC                                  | (Order from the Parts Department) |                  |                      |
| <b>STEERING STOP KITS</b>   |   |                                   |                  |                      |
| B4573   | Steering Stop Kit - B3350HSD and B3350SUHSD<br>Use when ABR8767 Tires are installed | K15B60                            | 1 lbs            | \$20.00              |
| <b>STORAGE COVER</b>  |   |                                   |                  |                      |
| 70000-73732   | Storage Cover   | (Order from the Parts Department) |                  |                      |
| <b>FRONT SNOW MASK</b>  |   |                                   |                  |                      |
| 77700-06480   | Front Snow Mask   | (Order from the Parts Department) |                  |                      |

# KUBOTA

## B Series

## B2650/3350

### Front End Loaders

| ORDER CODE    | DESCRIPTION   | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|---------------|---|----------------|------------------|----------------------|
| <b>LA534A</b> |   |                |                  |                      |
| LA534A        | Front End Loader<br>Includes Mounting Kit, Stand, Level Indicator,<br>and Grille Guard<br>Valve is Standard on Tractor<br>Requires Bucket | K2B502B24      | 621 lbs          | \$3,208.00           |

### SPILL GUARD

|       |                       |         |        |          |
|-------|-----------------------|---------|--------|----------|
| B2346 | Hydraulic Spill Guard | K428B22 | 37 lbs | \$549.00 |
|-------|-----------------------|---------|--------|----------|

### 3RD FUNCTION VALVES

|        |   |         |        |          |
|--------|---|---------|--------|----------|
| B7302A | 3rd Function Valve Kit - Cab Models<br>Must order hydraulic line quick couplers separately  | K623B22 | 43 lbs | \$799.00 |
| B7308A | 3rd Function Valve Kit - ROPS Models<br>Must order hydraulic line quick couplers separately | K623B22 | 43 lbs | \$799.00 |

### PIN-ON BUCKETS

|       |                                  |         |         |          |
|-------|----------------------------------|---------|---------|----------|
| B1625 | 54" Pin-On Bucket                | K360B36 | 125 lbs | \$462.00 |
| B1626 | 60" Light Material Pin-On Bucket | K445B38 | 150 lbs | \$571.00 |

### QUICK ATTACH COUPLER & QUICK ATTACH BUCKETS

|       |                              |         |         |          |
|-------|------------------------------|---------|---------|----------|
| B2366 | 2 Lever Quick Coupler        | K336B96 | 78 lbs  | \$432.00 |
| B2324 | 54" QA Bucket                | K352B56 | 202 lbs | \$452.00 |
| B2356 | 60" Light Material QA Bucket | K436B02 | 227 lbs | \$559.00 |

### QUICK ATTACH PALLET FORK FRAME / PALLET FORKS

|       |   |         |         |          |
|-------|---|---------|---------|----------|
| B2376 | Pallet Fork Frame 2-Lever QA (Requires K9048) | K496B08 | 165 lbs | \$636.00 |
| K9048 | 36" Pallet Forks                              | K317L46 | 176 lbs | \$407.00 |

### QUICK ATTACH FRONT LOADER BLADES & ACCESSORIES

|       |   |           |         |            |
|-------|---|-----------|---------|------------|
| B2672 | 60" Straight Blade w/Man. Angle (requires B2366)                          | K1B374B36 | 411 lbs | \$1,762.00 |
| B2673 | 72" Straight Blade w/Man. Angle (requires B2366)                          | K1B504B62 | 535 lbs | \$1,929.00 |
| B2766 | 60" Rubber Cutting Edge   | K171B60   | 49 lbs  | \$220.00   |
| B2776 | 72" Rubber Cutting Edge   | K202B02   | 59 lbs  | \$259.00   |
| B2671 | Hydraulic Angulation Kit for B2672 & B2673<br>Requires 3rd Function Valve | K401B70   | 14 lbs  | \$515.00   |

# KUBOTA

## B Series

## B2650/3350

### Front Quick Hitch & Front Quick Hitch Implements

| ORDER CODE  | DESCRIPTION   | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|---|---|----------------|------------------|----------------------|
| <b>FRONT QUICK HITCH FRAME &amp; COUPLER</b>              |   |                |                  |                      |
| B2714C  | Quick Hitch and Sub-Frame<br>B2726 required if no FEL Sub-Frame is Installed<br>Mid Mount Mower Decks must be removed to install Hitch<br>Hitch Brackets can stay in place when MMM Deck is installed | K943B80        | 223 lbs          | \$1,210.00           |
| B2726   | Quick Hitch Support Kit<br>Required for Units without a Front End Loader Sub-Frame  | K189B54        | 32 lbs           | \$243.00             |
| <b>FRONT QH DRIVELINE KITS</b>                            |   |                |                  |                      |
| B2747   | Mid PTO Driveline Kit for B2650HSD and B3350HSD   | K531B18        | 19 lbs           | \$681.00             |
| B2793   | Mid PTO Driveline Kit for B2650HSDC and B3350HSDC   | K531B18        | 25 lbs           | \$681.00             |
| <b>FRONT QH MOUNTED ROTARY SWEEPERS &amp; ACCESSORIES</b> |   |                |                  |                      |
| B2779   | 60" Rotary Sweeper - Hyd. Angle, 21.5" Wafer<br>Requires Quick Hitch and Mid PTO Driveline Kit<br>Not Compatible with the B3350SUHD Model   | K3B318B90      | 300 lbs          | \$4,255.00           |
| BL2178  | Side Caster Wheel Kit<br>Recommended for snow removal or lawn dethatching   | K365L04        | 45 lbs           | \$468.00             |
| L2168   | Rubber Deflector for B2779  | K127L14        | 31 lbs           | \$163.00             |
| <b>FRONT QH MOUNTED BLADES &amp; ACCESSORIES</b>          |   |                |                  |                      |
| B2765A  | 60" Blade - Hyd. Angle, Trip Spring Lockout<br>Requires Quick Hitch   | K1B284B66      | 411 lbs          | \$1,647.00           |
| B2775   | 72" Blade - Hyd. Angle<br>Requires Quick Hitch  | K1B400B10      | 535 lbs          | \$1,795.00           |
| B2766   | 60" Rubber Cutting Edge   | K171B60        | 49 lbs           | \$220.00             |
| B2776   | 72" Rubber Cutting Edge   | K202B02        | 59 lbs           | \$259.00             |

# KUBOTA

## B Series

## B2650/3350

| ORDER CODE  | DESCRIPTION   | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|---|---|----------------|------------------|----------------------|
| <b>FRONT QH MOUNTED SNOWBLOWERS &amp; ACCESSORIES</b> |   |                |                  |                      |
| B2781B  | 51" Two Stage Snowblower<br>Manual Rotator and Deflector<br>Requires Quick Hitch and Mid PTO Driveline Kit<br>Not Compatible with the B3350SUHD Model | K2B262B00      | 475 lbs          | \$2,900.00           |
| B2782B  | 63" Two Stage Snowblower<br>Manual Rotator and Deflector<br>Requires Quick Hitch and Mid PTO Driveline Kit<br>Not Compatible with the B3350SUHD Model | K2B428B92      | 500 lbs          | \$3,114.00           |
| B2516A  | Electric Chute Deflector for B2781B and B2782B  | K496B08        | 9 lbs            | \$636.00             |
| B2756   | Hydraulic Chute Rotation for B2781B and B2782B  | K613B86        | 20 lbs           | \$787.00             |
| BL2666A   | Hydraulic Chute Deflector for B2781B and B2782B<br>Requires Hyd. Chute Rotation Kit   | K750B36        | 22 lbs           | \$962.00             |
| B2786   | Side Extension Kit for B2781B and B2782B  | K94B38         | 27 lbs           | \$121.00             |

# KUBOTA

## B Series

## B2650/3350

| ORDER CODE                                     | DESCRIPTION   | FACTORY NUMBER | APPROX. SHIP WT.              | SUGGESTED LIST PRICE |
|--|---|----------------|-------------------------------|----------------------|
| <b>MID MOUNT MOWER DECKS &amp; ACCESSORIES</b> |   |                |                               |                      |
| RCK60-30BA                                     | 60" Cutting Width - 3 Blade Finish Mower<br>RH Discharge<br>Not compatible with B8785 Wheel Spacers<br>Not compatible with ABR8768 R4 Tires<br>Not compatible with B3350SUHSD.                                      | K2B226B12      | 468 lbs                       | \$2,854.00           |
| RC72-30B                                       | 72" Cutting Width - 3 Blade Finish Mower<br>RH Discharge<br>Not Compatible with B8785 Wheel Spacers<br>Not Compatible with ABR8768 R4 Tires<br>Not Compatible with Grass Catcher<br>Not compatible with B3350SUHSD. | K2B802B54      | 528 lbs                       | \$3,593.00           |
| GCK60-30BB                                     | Grass Catcher<br>3 Bag (9.75 Bushels)<br>Requires Boot Kit<br>Not Compatible with RC72-30B  | K1B627B86      | 320 lbs                       | \$2,087.00           |
| B3046  | Boot Kit - 60" Deck   | K225B42        | 31 lbs                        | \$289.00             |
| 70000-02505                                    | Mulching Kit for RCK60-30BA<br>Requires 70000-02507 Left Baffle Kit (1)<br>and 70000-70038 Mulching Blades (3)<br>Not compatible with 72" Mower Deck  |                | (Order from Parts Department) |                      |
| 70000-02507                                    | Left Baffle Kit   |                | (Order from Parts Department) |                      |
| 70000-25041                                    | Mulching Blades (3)   |                | (Order from Parts Department) |                      |

## BACKHOES & ACCESSORIES

|         |   |           |          |            |
|---------|---|-----------|----------|------------|
| BH77    | 7.7' Backhoe - 4 Point Mount<br>Quick Mount/Dismount without Tools<br>Requires Sub-Frame, 3pt Linkage must be removed to mount<br>MMM may remain on the unit, locked in the upper position<br>Not compatible with Grass Catcher | K5B338B32 | 1077 lbs | \$6,844.00 |
| BH4973  | BH Sub-Frame for B2650HSDC and B3350HSDC<br>Includes Fixed Seat   | K732B42   | 202 lbs  | \$939.00   |
| BH4962  | BH Sub-Frame for B2650HSD and B3350HSD<br>Includes Reversible Seat Mechanism  | K732B42   | 243 lbs  | \$939.00   |
| BH4963  | BH Sub-Frame for B3350SUHSD<br>Includes Reversible Seat Mechanism   | K732B42   | 255 lbs  | \$939.00   |
| BT1950A | 10" Bucket - 3 Teeth  | K323B70   | 63 lbs   | \$415.00   |
| BT1951A | 12" Bucket - 3 Teeth  | K382B98   | 69 lbs   | \$491.00   |
| BT1952A | 16" Bucket - 4 Teeth  | K505B44   | 82 lbs   | \$648.00   |
| BT1953A | 24" Bucket - 5 Teeth  | K660B66   | 118 lbs  | \$847.00   |
| BH1976  | Mechanical Thumb - 6 Position   | K370B50   | 51 lbs   | \$475.00   |
| L9467   | Rubber Flip Pads for Stabilizers (order 2 per BH)   | K96L72    | 15 lbs   | \$124.00   |

**KUBOTA****B Series****B2650/3350**

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
|------------|-------------|----------------|------------------|----------------------|
|------------|-------------|----------------|------------------|----------------------|

**3-POINT MOUNTED IMPLEMENTS & ACCESSORIES****Rear Mount Snow Blowers**

|                                       |   |           |         |            |
|---------------------------------------|---|-----------|---------|------------|
| B2789                                 | 51" Two Stage Snow Blower (3-Pt Mount)<br>Requires either Manual or Hydraulic Chute Rotation Kit                                      | K2B115B36 | 390 lbs | \$2,712.00 |
| BLMX3164                              | 64" Two-Stage Commercial Snowblower<br>Mounts to Category I 3-Point Hitch<br>Requires Manual Chute Rotator or Hydraulic Chute Rotator | K2B268B24 | 681 lbs | \$2,908.00 |
| <b>REAR MOUNT SNOW BLOWER OPTIONS</b> |   |           |         |            |
| BL2665                                | Manual Chute Rotator  | K134B16   | 11 lbs  | \$172.00   |
| BL6399                                | Hydraulic Chute Rotator<br>Requires 1 Set of Hydraulic Rear Remote Valves   | K613B86   | 20 lbs  | \$787.00   |
| BL2666A                               | Hydraulic Chute Deflector Kit<br>Requires Hydraulic Chute Rotator<br>Includes Electric Selector Valve                                 | K750B36   | 22 lbs  | \$962.00   |
| B2516A                                | Electric Chute Deflector  | K496B08   | 9 lbs   | \$636.00   |
| L2177                                 | Width Extension Kit, adds 5" overall cut  | K89L70    | 27 lbs  | \$115.00   |