

**POWER  
SERVICE** **PS**

**BIO  
KLEEN**  
*Diesel Fuel Biocide*

**ACTIVE INGREDIENTS**

4-(2-Nitrobutyl)morpholine .....	81.0% by wt
4,4'-(2-Ethyl-2-nitrotrimethylene)dimorpholine .....	5.0% by wt
INERT INGREDIENTS .....	14.0% by wt
TOTAL .....	100%

**KEEP OUT OF REACH OF CHILDREN.**

**DANGER**

**FIRST AID**

**IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 30 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance and then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment.

**HOT LINE NUMBER**

**IN CASE OF AN EMERGENCY** endangering life or property involving this product, call CHEMTREC at **1-800-424-9300**. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

SEE BACK LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

E.P.A. Reg. No. 464-659-69633 E.P.A. Est. 069633-TX-001 Part No. 9016

Distributed by: Power Service Products, Inc.

513 Peaster Highway • Weatherford, TX 76086-1089

**Net Contents: 16 FL. OZ. – 0.473 LITERS**

Consolidated 2.5"x4.187"

**This diesel fuel additive complies with the federal low sulfur content requirements for use in diesel motor vehicles and nonroad engines.**

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling.

#### **FOR USE IN HYDROCARBON PRESERVATION**

**To control the growth of problem microorganisms associated with the fuel.**

**In General Use:** Add Bio Kleen® to storage tanks or fuel tanks for control of microbial growth in diesel oil, fuel oil, gasoline or kerosene. Treatment may be performed by slug dosage or by intermittent metering to maintain a concentration of 135-1,000 ppm of Bio Kleen.

#### **TREATMENT RATIOS (IN OUNCES)**

BIO KLEEN BIOCIDE DOSE	SHOCK TREATMENT	PPM IN FUEL (APPROX)	MAINTENANCE TREATMENT	PPM IN FUEL (APPROX)
1 Ounce	20 Gallons	390	55 Gallons	142
16 Ounces	320 Gallons	390	880 Gallons	142

**In A Fuel-Treatment Pre-Mix:** Bio Kleen may be mixed with other fuel additives for addition to fuel. The end user must add sufficient Bio Kleen to the pre-mix to provide 135-1,000 ppm of Bio Kleen in the treated fuel.

**For Storage In Tanks Without Intentional Water:** Add 0.125-1 gallon of Bio Kleen directly to each 1,000 gallons of hydrocarbon in the system to obtain a concentration of approximately 135-1,000 ppm.

**For Storage Above Water:** Add 1 gallon of Bio Kleen to each 1,000 gallons of water in the bulk storage system to achieve a concentration of approximately 1,000 ppm. To facilitate mixing, dissolve each gallon of Bio Kleen in 100 gallons of water and add this solution directly to the water phase in the tank with minimal agitation.

Part No. 9016  
**POWER SERVICE PRODUCTS, INC.**  
www.powerservice.com  
© 2017 Power Service Products, Inc.



FOLD  
LINE

**KEEP OUT OF REACH OF CHILDREN.**

**DANGER**

#### **PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**DANGER. CORROSIVE.** CAUSES IRREVERSIBLE EYE DAMAGE. HARMFUL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH THE SKIN. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. PROLONGED OR FREQUENTLY REPEATED SKIN CONTACT MAY CAUSE ALLERGIC REACTIONS IN SOME INDIVIDUALS. Do not get in eyes, on skin, on clothing. Causes skin sensitization. Wear goggles or face shield and rubber gloves when handling. Wear a long-sleeved shirt, long pants, shoes, socks and chemical-resistant gloves. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### **PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Mixers, loaders, applicators and other handlers must wear: Coveralls over short-sleeved shirt and short pants; socks and chemical-resistant footwear; goggles and face shield; and chemical-resistant gloves made of barrier laminate, butyl rubber, neoprene rubber, polyvinyl chloride or viton.

#### **USER SAFETY RECOMMENDATIONS**

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the E.P.A.

#### **STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest E.P.A. Regional Office for guidance.

**CONTAINER DISPOSAL: Nonrefillable Container:** Do not reuse or refill this container. Offer for recycling if available.

Top - Can print both sides

Base - Prints one side only

4.4375" x 2.75"

No copy outside these lines  
Final Trim





# BIO KLEEN®

## *Diesel Fuel Biocide*

### ACTIVE INGREDIENTS

4-(2-Nitrobutyl)morpholine .....	81.0% by wt
4,4'-(2-Ethyl-2-nitrotrimethylene)dimorpholine .....	5.0% by wt
INERT INGREDIENTS .....	14.0% by wt
TOTAL .....	100%

### FIRST AID

**IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 30 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance and then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment.

### HOT LINE NUMBER

**IN CASE OF AN EMERGENCY** endangering life or property involving this product, call CHEMTREC at **1-800-424-9300**. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

MULTI-COLOR  
128 OZ FRONT LABEL

COPY: 6" x 6.625"  
LAQUER: 6.125" x 6.75"

**KEEP OUT OF REACH  
OF CHILDREN.  
DANGER**

SEE BACK LABEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS.

**Net Contents:  
1 Gallon – 3.785 LITERS**

E.P.A. Reg. No. 464-659-69633 E.P.A. Est. 069633-TX-001 Part No. 9128

Distributed by: Power Service Products, Inc.

513 Peaster Highway • Weatherford, TX 76086-1089

## MULTI-COLOR 128 OZ BACK LABEL

COPY: 6" x 6.625"  
LAQUER: 6.125" x 6.75"

**APPROVED**

By Lisa Perri at 12:38 pm, 10/26/16

9128 C



**Part No. 9128**

**POWER SERVICE  
PRODUCTS, INC.**

www.powerservice.com  
© 2016 Power Service Products, Inc.

**This diesel fuel additive complies with the federal low sulfur content requirements for use in diesel motor vehicles and nonroad engines.**

### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling.

### **FOR USE IN HYDROCARBON PRESERVATION**

**To control the growth of problem microorganisms associated with the fuel.**

**In General Use:** Add Bio Kleen® to storage tanks or fuel tanks for control of microbial growth in diesel oil, fuel oil, gasoline or kerosene. Treatment may be performed by slug dosage or by intermittent metering to maintain a concentration of 135-1,000 ppm of Bio Kleen.

### **TREATMENT RATIOS (IN OUNCES)**

<b>BIO KLEEN BIOCIDIC DOSE</b>	<b>SHOCK TREATMENT</b>	<b>PPM IN FUEL (APPROX)</b>	<b>MAINTENANCE TREATMENT</b>	<b>PPM IN FUEL (APPROX)</b>
1 Ounce	20 Gallons	390	55 Gallons	142
128 Ounces (1 Gallon)	2500 Gallons	400	7000 Gallons	142

**In A Fuel-Treatment Pre-Mix:** Bio Kleen may be mixed with other fuel additives for addition to fuel. The end user must add sufficient Bio Kleen to the pre-mix to provide 135-1,000 ppm of Bio Kleen in the treated fuel.

**For Storage In Tanks Without Intentional Water:** Add 0.125-1 gallon of Bio Kleen directly to each 1,000 gallons of hydrocarbon in the system to obtain a concentration of approximately 135-1,000 ppm.

**For Storage Above Water:** Add 1 gallon of Bio Kleen to each 1,000 gallons of water in the bulk storage system to achieve a concentration of approximately 1,000 ppm. To facilitate mixing, dissolve each gallon of Bio Kleen in 100 gallons of water and add this solution directly to the water phase in the tank with minimal agitation.

**KEEP OUT OF REACH OF CHILDREN.**

**DANGER**

### **PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals**

**DANGER. CORROSIVE.** CAUSES IRREVERSIBLE EYE DAMAGE. HARMFUL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH THE SKIN. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. PROLONGED OR FREQUENTLY REPEATED SKIN CONTACT MAY CAUSE ALLERGIC REACTIONS IN SOME INDIVIDUALS. Do not get in eyes, on skin, on clothing. Causes skin sensitization. Wear goggles or face shield and rubber gloves when handling. Wear a long-sleeved shirt, long pants, shoes, socks and chemical-resistant gloves. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

### **PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Mixers, loaders, applicators and other handlers must wear: Coveralls over short-sleeved shirt and short pants; socks and chemical-resistant footwear; goggles and face shield; and chemical-resistant gloves made of barrier laminate, butyl rubber, neoprene rubber, polyvinyl chloride or viton.

### **USER SAFETY RECOMMENDATIONS**

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the E.P.A.

## **STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest E.P.A. Regional Office for guidance.

**CONTAINER DISPOSAL: Nonrefillable Container:** Do not reuse or refill this container. Offer for recycling if available.

## ACTIVE INGREDIENTS

4-(2-Nitrobutyl)morpholine .....	81.0% by wt
4,4'-(2-Ethyl-2-nitrotrimethylene)dimorpholine .....	5.0% by wt
INERT INGREDIENTS .....	14.0% by wt
Total .....	100.0%

E.P.A. Reg. No. 464-659-69633

E.P.A. Est. 069633-TX-001

## KEEP OUT OF REACH OF CHILDREN DANGER

### FIRST AID

<b>IF IN EYES:</b>	Hold eyes open and rinse slowly and gently with water for 30 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call poison control center or doctor for treatment advice.
<b>IF SWALLOWED:</b>	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
<b>IF ON SKIN OR CLOTHING:</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment.
<b>IF INHALED:</b>	Move person to fresh air. If person is not breathing, call 911 or an ambulance and then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment.

### HOT LINE NUMBER

**IN CASE OF AN EMERGENCY** endangering life or property involving this product, call CHEMTREC at 1-800-424-9300. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

## KEEP OUT OF REACH OF CHILDREN DANGER

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

**CORROSIVE.** Causes irreversible eye damage. Harmful if swallowed. Harmful if absorbed through the skin. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not get in eyes, on skin, on clothing. Causes skin sensitization. Wear goggles or face shield and rubber gloves when handling. Wear a long-sleeve shirt, long pants, shoes, socks and chemical resistant gloves. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators and other handlers must wear: Coveralls over short-sleeved shirt and short pants; Socks and Chemical-resistant footwear; Goggles and face shield, and Chemical-resistant gloves made of barrier laminate, butyl rubber, neoprene rubber, polyvinyl chloride or viton.

#### USER SAFETY RECOMMENDATIONS

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

## ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the E.P.A.

## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

## CONTAINER DISPOSAL

**Nonrefillable Container:** Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities by burning. If burned, stay out of smoke.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### FOR USE IN HYDROCARBON PRESERVATION

**To control the growth of problem microorganisms associated with the fuel.**

**In General Use:** Add Bio Kleen® to storage tanks or fuel tanks for control of microbial growth in diesel oil, fuel oil, gasoline, or kerosene. Treatment may be performed by slug dosage or by intermittent metering to maintain a concentration of 135-1000 ppm of Bio Kleen®.

BIO KLEEN DOSE	SHOCK TREATMENT	PPM IN FUEL (APPROX)	MAINTENANCE DOSE	PPM IN FUEL (APPROX)
1 Ounce	20 Gallons	390	55 Gallons	142
128 Ounces (1 gallon)	2500 Gallons	400	7000 Gallons	142

**For Storage Above Water:** Add 1 gallon of Bio Kleen® to each 1000 gallons of water in the bulk storage system to achieve a concentration of approximately 1000 ppm. To facilitate mixing, dissolve each gallon of Bio Kleen® in 100 gallons of water and add this solution directly to the water phase in the tank with minimal agitation.

**For Storage In Tanks Without Intentional Water:** Add 0.125-1 gallon of Bio Kleen® directly to each 1000 gallons of hydrocarbon in the system to obtain a concentration of approximately 135-1000 ppm.

**In A Fuel-Treatment Pre-Mix:** Bio Kleen® may be mixed with other fuel additive for addition to fuel. The end user must add sufficient Bio Kleen® to the pre-mix to provide 135-1000 ppm of Bio Kleen® in the treated fuel.

**This diesel fuel additive complies with the Federal low sulfur content requirements for use in diesel motor vehicles and nonroad engines.**

Notice: Seller warrants that the product conforms to its chemical description as contained on this label and is reasonably fit for the purposes stated on this label when used in accordance with directions under normal conditions of use. THE WARRANTIES MADE IN THIS PARAGRAPH ARE SELLER'S SOLE WARRANTIES AND ARE MADE EXPRESSLY IN LIEU OF AND EXCLUDE ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIONS AND WARRANTIES.

## PART NO. 9055

NET CONTENTS - 55 U.S. GALLONS – 208.20 LITERS

NET WT: 542.90 Pounds – 246.25 Kilograms



## POWER SERVICE PRODUCTS, INC.

513 Peaster Highway • Weatherford, Texas 76086-1089

© 2016 Power Service Products, Inc.

#### ACTIVE INGREDIENTS

4-(2-Nitrobutyl)morpholine .....81.0% by wt  
4,4'-(2-Ethyl-2-nitrotrimethylene)dimorpholine .....5.0% by wt

INERT INGREDIENTS .....14.0% by wt  
Total ..... 100.0%

E.P.A. Reg. No. 464-659-69633

E.P.A. Est. 069633-TX-001

### KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID	
<b>IF IN EYES:</b>	Hold eyes open and rinse slowly and gently with water for 30 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call poison control center or doctor for treatment advice.
<b>IF SWALLOWED:</b>	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
<b>IF ON SKIN OR CLOTHING:</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment.
<b>IF INHALED:</b>	Move person to fresh air. If person is not breathing, call 911 or an ambulance and then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment.
HOT LINE NUMBER	
<b>IN CASE OF AN EMERGENCY</b> endangering life or property involving this product, call <b>1-800-424-9300</b> . Have the product container or label with you when calling a poison control center or doctor or going for treatment.	
<b>NOTE TO PHYSICIAN:</b> Probable mucosal damage may contraindicate the use of gastric lavage.	

### KEEP OUT OF REACH OF CHILDREN DANGER

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

**CORROSIVE.** Causes irreversible eye damage. Harmful if swallowed. Harmful if absorbed through the skin. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not get in eyes, on skin, on clothing. Causes skin sensitization. Wear goggles or face shield and rubber gloves when handling. Wear a long-sleeve shirt, long pants, shoes, socks and chemical resistant gloves. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators and other handlers must wear: Coveralls over short-sleeved shirt and short pants; Socks and Chemical-resistant footwear; Goggles and face shield, and Chemical-resistant gloves made of barrier laminate, butyl rubber, neoprene rubber, polyvinyl chloride or viton.

#### USER SAFETY RECOMMENDATIONS

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the E.P.A.

#### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### CONTAINER DISPOSAL

**Nonrefillable Container:** Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities by burning. If burned, stay out of smoke.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### FOR USE IN HYDROCARBON PRESERVATION

**To control the growth of problem microorganisms associated with the fuel.**

**In General Use:** Add Bio Kleen® to storage tanks or fuel tanks for control of microbial growth in diesel oil, fuel oil, gasoline, or kerosene. Treatment may be performed by slug dosage or by intermittent metering to maintain a concentration of 135-1000 ppm of Bio Kleen®.

BIO KLEEN DOSE	SHOCK TREATMENT	PPM IN FUEL (APPROX)	MAINTENANCE DOSE	PPM IN FUEL (APPROX)
1 Ounce	20 Gallons	390	55 Gallons	142
128 Ounces (1 gallon)	2500 Gallons	400	7000 Gallons	142

**For Storage Above Water:** Add 1 gallon of Bio Kleen® to each 1000 gallons of water in the bulk storage system to achieve a concentration of approximately 1000 ppm. To facilitate mixing, dissolve each gallon of Bio Kleen® in 100 gallons of water and add this solution directly to the water phase in the tank with minimal agitation.

**For Storage In Tanks Without Intentional Water:** Add 0.125-1 gallon of Bio Kleen® directly to each 1000 gallons of hydrocarbon in the system to obtain a concentration of approximately 135-1000 ppm.

**In A Fuel-Treatment Pre-Mix:** Bio Kleen® may be mixed with other fuel additive for addition to fuel. The end user must add sufficient Bio Kleen® to the pre-mix to provide 135-1000 ppm of Bio Kleen® in the treated fuel.

**This diesel fuel additive complies with the Federal low sulfur content requirements for use in diesel motor vehicles and nonroad engines.**

Notice: Seller warrants that the product conforms to its chemical description as contained on this label and is reasonably fit for the purposes stated on this label when used in accordance with directions under normal conditions of use. THE WARRANTIES MADE IN THIS PARAGRAPH ARE SELLER'S SOLE WARRANTIES AND ARE MADE EXPRESSLY IN LIEU OF AND EXCLUDE ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIONS AND WARRANTIES.

**PART NO. 9060**

260 U.S. GALLONS – 984.2 LITERS

NET WT: 2,515 Pounds – 1,141 Kilograms

**POWER SERVICE PRODUCTS, INC.**

513 Peaster Highway • Weatherford, Texas 76086-1089

© 2015 Power Service Products, Inc.